



Fast, Simple And Powerfully Versatile.

The Way Label Making Should Be



BBP™ 31
SIGN & LABEL PRINTER



BBP™ 33
LABEL PRINTER

Fast, Simple And Powerfully Versatile.

The Way Label Making Should Be

Two powerful benchtop printers that take on ALL your labelling needs with unprecedented ease! The BBP™31 and BBP™33 Label Printers will make you forget about tedious, time consuming setups and difficult-to-load materials. Each printer comes with a wide variety of error-proof simple to load consumables. Smart Cell Technology means your label is set up the minute the cartridge is inserted and the intuitive user interface takes you through your label creation step by step, so there is no room for mistakes or label waste. **It is really that simple and hassle free – exactly the way label making should be.**



Automatic label setup with no calibration

The printer “reads” critical information from your cartridges and automatically sets up the correct label format in the printer or your Brady software.

- No need to adjust the sensor or manually calibrate your labels.
- No need to set the print speed or go through burn temp trials that result in errors or wasted labels.
- No scrolling through lists searching for a label part
- No need to set up label dimensions in software

The printer does all this for you!



Fast and effortless material changeovers

- Foolproof “drop-in” ribbon and label cartridges
- Drop in the cartridge, lock it and start typing – that’s all you need to do! (anyone can do it!)
- No threading the ribbon around spools and printheads
- Ink side of ribbon always faces the right way
- Easy-to-handle cartridges that won’t roll away or get damaged

Impressive material lineup

Depending on the customer’s needs, the printers can be used with over 600 material parts in 40 different materials designed for:

- Wire & panel labels AND safety & facility identification labels
- Rating plates & circuit board labels AND production line facility labels
- Pipe markers & 5S labels AND general purpose die cut labels
- Tube & vial labels AND slide & tissue cassette labels
- Plus, custom label sizes are available*



*Only for BBP™33 Label Printer

BBP™31 Sign & Label Printer

Stand-alone printing & ultimate ease of use

Just walk up and print, literally. The best choice for facility, safety and lean/5S or “Kaizen event” labelling.

BBP™31
SIGN & LABEL PRINTER



- Ideal for safety, facility and lean/5S applications
- In total over 300 parts and 15 materials that can also be used in the BBP33
- Stand-alone operation ideal for mobile use and “lean events”
- Intuitive, simple to learn, very approachable – ideal for multi-user situations and events
- Compatible with powerful MarkWare™ PC software, plus has Windows® based driver for 3rd party software use

BBP™33 Label Printer

PC-based printing with expanded material options

Fast supply changeover and waste-free setup, never-before-seen in a PC-based printer. Full ranges of facility, safety & lean/5S label materials, as well as die-cut labels for Wire ID, Lab ID and Product ID.

BBP™33
LABEL PRINTER



- Safety, facility and lean/5S applications and die-cut materials for Wire, Laboratory & General Identification
- In total over 600 parts and 40 materials, plus custom sizes available!
- Ideal facility-wide printer, where mobile use or multi-user event labelling are not as important
- Use with LabelMark™, CodeSoft™ and MarkWare™ Labelling Software, plus Windows® based driver for 3rd party software use

Brady Materials Are Made To Impress.



Brady labels last the longest, period.

Brady labels stick and stay stuck, plain and simple. In fact, some last up to 10 years outdoors*. You only need to make them once. And after you make them, they're there for good.

Options. Lots of options.

We make labels for specific applications. That's why we have hundreds of label types and sizes to choose from. And if you don't see the label you need we will custom produce it to your size and shape requirements. We want you to be 100% confident that you have the right label for your exact application.

We set the bar high.

There's a reason why Brady materials lead the industry in durability and performance. It's because we design and manufacture the labels ourselves. We put our materials through rigorous, painstaking tests and trials – and nothing leaves our doors until it passes with flying colors. We set the standards high – because we know it's the only way our materials can exceed your expectations.

With label printing like this, the possibilities are endless.

*Average expected outdoor life of product will depend on user definition of failure, climatic conditions, mounting techniques and material colour. The up to 8 to 10 year outdoor durability applies to the vinyl label stock only; ribbon durability will vary. A polyester overlaminate is recommended for harsh environments - long term exposure to wind and rain.

i **When you see this...**
BBP31 and BBP33
 It's letting you know which printer model each supply part can be used with.

Table of Contents

<ul style="list-style-type: none"> ■ Facility & Safety Identification7-14 • B-595 Pre-printed Pre-cut Blank Sign Headers • B-551 Non-adhesive Pre-printed & Pre-cut Safety Tags • B-595 High Performance Indoor/Outdoor Vinyl • B-569 High Performance Polyester • B-595 Pre-printed Right-To-Know Chemical Labels • B-7569 Pre-printed GHS/CLP Chemical Labels • B-423 HSID Labels • B-595 and B-7569 Pre-cut Blank Labels • B-551 Non-adhesive Continuous Tag Stock • B-584 Retro Reflective Tape • B-526 BradyGlo™ High-intensity Photoluminescent Tape • B-509 Printable Magnetic Supply • B-581 Repositionable Vinyl • B-549 Cold Temperature Application Material 	<ul style="list-style-type: none"> • B-425 Fibre Optic Labels • B-7597 Tear Resistant Tags • B-498 Repositionable Vinyl Cloth Wire & Cable Markers • B-499 Wire & Cable Markers • B-498 Adhesive Terminal Block Markers • B-7642 PermaSleeve® HX Polyolefin Wire Marking Sleeves • B-342 PermaSleeve® PS Polyolefin Wire Marking Sleeves • B-345 PermaSleeve® HT High Temperature PVDF Wire Marking Sleeves 	<ul style="list-style-type: none"> ■ Laboratory Identification.....26-28 • B-461, B-490 & B-492 Vial & Tube Labels • B-461, B-490 & B-492 Vial Top Labels • B-488 Well Plate Labels • B-461, B-490 & B-492 Centrifuge, Eppendorf & PCR Tube labels • B-461, B-490 & B-492 Conical / Large Tube Labels • B-481 & B-488 Slide Labels • B-461 Straw Labelling • B-482 Tissue Cassette Labels • B-488 Bottles, Flasks, Dishes and General Identification
<ul style="list-style-type: none"> ■ Electrical /Automation Identification.....15-21 • B-593 Raised Profile Labels - Push Button Style • B-593 Raised Profile Labels • Inside-Panel Component Labels • B-427 Self-laminating Wire & Cable Markers 	<ul style="list-style-type: none"> ■ Product & General Purpose Identification22-24 • Polyester Labels • Metallised Polyester Labels • B-424 Paper Labels • B-425 Polypropylene Labels • B-595 Outdoor Grade Vinyl Labels 	<ul style="list-style-type: none"> ■ Print Ribbons 29 ■ BBP31 & BBP33 Sign & Label Printers..... 30 • Printer Versions and Printer Kits • Printer Technical Data
	<ul style="list-style-type: none"> ■ PC Board Identification24-25 • B-426 and B-457 Standard Polyimide Labels • B-477, B-478 and B-479 Static Dissipative Polyimide Labels • B-8423 Polyester Labels 	<ul style="list-style-type: none"> ■ Accessories & Software30-31

Applications

Facility & Safety Identification



Safety Signs



Pipe Markers



Machine Safety Labels



GHS/CLP Labels



Warehouse Identification



Safety Tags


Electrical / Automation Identification



Control Panel Labels



Self-laminating Wire & Cable Markers



Inside Panel Component Labels



Fibre Optic Cable Markers



Cable Tags



Wire Marking Sleeves

Applications

Product Identification



Rating Plate Labels



Name Plates



Rough Surface Labels

General Identification




General labelling material for indoor use

PC Board Identification



Static Dissipative Labels



High-Temperature ID Labels

Laboratory Identification



Slide Labels



Tissue Cassette Labels



Centrifuge & PCR Tube Labels


B-595 PRE-PRINTED PRE-CUT BLANK SIGN HEADERS

FOR CREATING ARC FLASH AND SAFETY WARNING LABELS IN SECONDS.

- Allows the printer to create multi-colour signs fast - in a single print pass
- Headers meet OSHA 1910.145 and ASME/ANSI Z535 standards
- Indoor/Outdoor grade material conforms to rough, irregular and “difficult to adhere to” surfaces
- Service temp: -40 °C to 82 °C
- Application temp: -18 °C to 82 °C



Fits Printer Model(s)	Order Reference	Label	Size - Width A (mm)	Size - Height B (mm)	Labels per Row	Labels per Roll	Recommended Ribbon	Diagram
BBP31;BBP33	B30-25-595-ANSIDA		101.00	152.00	1	175	B30-R10000 (black or colours)	
BBP31;BBP33	B30-241-595-ANSIDA		57.00	75.00	1	300	B30-R10000 (black or colours)	
BBP31;BBP33	B30-25-595-ANSICA		101.00	152.00	1	175	B30-R10000 (black or colours)	
BBP31;BBP33	B30-241-595-ANSICA		57.00	75.00	1	300	B30-R10000 (black or colours)	
BBP31;BBP33	B30-25-595-ANSIWA		101.00	152.00	1	175	B30-R10000 (black or colours)	
BBP31;BBP33	B30-241-595-ANSIWA		57.00	75.00	1	300	B30-R10000 (black or colours)	
BBP31;BBP33	B30-25-595-ANSINO		101.00	152.00	1	175	B30-R10000 (black or colours)	
BBP31;BBP33	B30-241-595-ANSINO		57.00	75.00	1	300	B30-R10000 (black or colours)	
BBP31;BBP33	B30-25-595-OSHADA		101.00	152.00	1	175	B30-R10000 (black or colours)	
BBP31;BBP33	B30-241-595-OSHADA		57.00	75.00	1	300	B30-R10000 (black or colours)	
BBP31;BBP33	B30-25-595-OSHACA		101.00	152.00	1	175	B30-R10000 (black or colours)	
BBP31;BBP33	B30-241-595-OSHACA		57.00	75.00	1	300	B30-R10000 (black or colours)	
BBP31;BBP33	B30-25-595-BLNKWT		101.00	152.00	1	175	B30-R10000 (black or colours)	
BBP31;BBP33	B30-241-595-BLNKWT		57.00	75.00	1	300	B30-R10000 (black or colours)	
BBP31;BBP33	B30-242-595-BLNKWT		29.00	72.00	1	300	B30-R10000 (black or colours)	
BBP31;BBP33	B30-219-595-BLNKWT		57.00	98.00	1	250	B30-R10000 (black or colours)	
BBP31;BBP33	B30-25-595-BLNKYL		101.00	152.00	1	175	B30-R10000 (black or colours)	
BBP31;BBP33	B30-241-595-BLNKYL		57.00	75.00	1	300	B30-R10000 (black or colours)	



i Create Arc Flash labels and safety warning labels by using these supplies with the built-in templates of the BBP™31 printer or with the templates in the MarkWare™ Software when printing on the BBP™33 printer.


B-551 NON-ADHESIVE PRE-PRINTED & PRE-CUT SAFETY TAGS

PRE-PRINTED AND PRE-CUT TO SAVE YOU TIME!

- Non-adhesive semi-rigid polyester card stock
- Tags are pre-cut with hole and chamfered corners
- Perforated between tags
- Snap-in plastic grommets available for extra strength around mounting hole.
Order reference: 020596
- Service temp: -40 °C to 90 °C
- Application temp: -18 °C to 90 °C



Fits Printer Model(s)	Order Reference	Label	Size - Width A (mm)	Size - Height B (mm)	Labels per Row	Labels per Roll	Recommended Ribbon	Diagram
BBP31;BBP33	B30-255-551-ANSIDA		82.55	146.05	1	100	B30-R10000	
BBP31;BBP33	B30-255-551-OSHADA		82.55	146.05	1	100	B30-R10000	
BBP31;BBP33	B30-255-551-ANSICA		82.55	146.05	1	100	B30-R10000	
BBP31;BBP33	B30C-255-551-WT		82.55	146.05	1	100	B30-R10000	
BBP31;BBP33	B30C-255-551-RD		82.55	146.05	1	100	B30-R10000	
BBP31;BBP33	B30C-255-551-GN		82.55	146.05	1	100	B30-R10000	



B-595 HIGH PERFORMANCE INDOOR/OUTDOOR VINYL

FOR GENERAL FACILITY AND SAFETY IDENTIFICATION: OUR BEST INDUSTRIAL VINYL YET




- Durable, low-shrink vinyl with our most aggressive adhesive
- Conforms to irregular, curved, rough and highly textured surfaces (painted cinder blocks, uneven wood, textured plastics, paper-jacketed pipes, powder-coated surfaces)
- Adheres to “difficult” low-surface energy items (PVC piping, blow-molded equipment cases, ABS plastics, recycled plastics)
- Service temp: -40 °C to 82 °C
- Application temp: -18 °C to 82 °C



Facility and Safety Applications:

5S Labels, Pipe Markers, Safety & Warning Labels, Equipment & Panel Labels, Arc Flash & Chemical Labels and More!




Fits Printer Model(s)	Order Reference	Colour	Size - Width A (mm)	Size - Length B (m)	Labels per Row	Labels per Roll	Recommended Ribbon	Diagram
BBP31;BBP33	B30C-500-595-BK	Black	12.70	30.40	1	1	B30-R10000-WT	
BBP31;BBP33	B30C-500-595-BL	Blue	12.70	30.40	1	1	B30-R10000-WT	
BBP31;BBP33	B30C-500-595-BR	Brown	12.70	30.40	1	1	B30-R10000-WT	
BBP31;BBP33	B30C-500-595-CL	Clear	12.70	30.40	1	1	B30-R10000	
BBP31;BBP33	B30C-500-595-GD	Gold	12.70	30.40	1	1	B30-R10000	
BBP31;BBP33	B30C-500-595-GN	Green	12.70	30.40	1	1	B30-R10000-WT	
BBP31;BBP33	B30C-500-595-GY	Grey	12.70	30.40	1	1	B30-R10000	
BBP31;BBP33	B30C-500-595-OR	Orange	12.70	30.40	1	1	B30-R10000	
BBP31;BBP33	B30C-500-595-PL	Purple	12.70	30.40	1	1	B30-R10000-WT	
BBP31;BBP33	B30C-500-595-RD	Red	12.70	30.40	1	1	B30-R10000-WT	
BBP31;BBP33	B30C-500-595-WT	White	12.70	30.40	1	1	B30-R10000	
BBP31;BBP33	B30C-500-595-YL	Yellow	12.70	30.40	1	1	B30-R10000	
BBP31;BBP33	B30C-1125-595-BK	Black	29.00	30.40	1	1	B30-R10000-WT	
BBP31;BBP33	B30C-1125-595-BL	Blue	29.00	30.40	1	1	B30-R10000-WT	
BBP31;BBP33	B30C-1125-595-BR	Brown	29.00	30.40	1	1	B30-R10000-WT	
BBP31;BBP33	B30C-1125-595-CL	Clear	29.00	30.40	1	1	B30-R10000	
BBP31;BBP33	B30C-1125-595-GD	Gold	29.00	30.40	1	1	B30-R10000	
BBP31;BBP33	B30C-1125-595-GN	Green	29.00	30.40	1	1	B30-R10000-WT	
BBP31;BBP33	B30C-1125-595-GY	Grey	29.00	30.40	1	1	B30-R10000	
BBP31;BBP33	B30C-1125-595-OR	Orange	29.00	30.40	1	1	B30-R10000	
BBP31;BBP33	B30C-1125-595-PL	Purple	29.00	30.40	1	1	B30-R10000-WT	
BBP31;BBP33	B30C-1125-595-RD	Red	29.00	30.40	1	1	B30-R10000-WT	
BBP31;BBP33	B30C-1125-595-WT	White	29.00	30.40	1	1	B30-R10000	
BBP31;BBP33	B30C-1125-595-YL	Yellow	29.00	30.40	1	1	B30-R10000	
BBP31;BBP33	B30C-2250-595-BK	Black	57.00	30.40	1	1	B30-R10000-WT	
BBP31;BBP33	B30C-2250-595-BL	Blue	57.00	30.40	1	1	B30-R10000-WT	
BBP31;BBP33	B30C-2250-595-BR	Brown	57.00	30.40	1	1	B30-R10000-WT	
BBP31;BBP33	B30C-2250-595-CL	Clear	57.00	30.40	1	1	B30-R10000	
BBP31;BBP33	B30C-2250-595-GD	Gold	57.00	30.40	1	1	B30-R10000	
BBP31;BBP33	B30C-2250-595-GN	Green	57.00	30.40	1	1	B30-R10000-WT	
BBP31;BBP33	B30C-2250-595-GY	Grey	57.00	30.40	1	1	B30-R10000	
BBP31;BBP33	B30C-2250-595-OR	Orange	57.00	30.40	1	1	B30-R10000	
BBP31;BBP33	B30C-2250-595-PL	Purple	57.00	30.40	1	1	B30-R10000-WT	
BBP31;BBP33	B30C-2250-595-RD	Red	57.00	30.40	1	1	B30-R10000-WT	
BBP31;BBP33	B30C-2250-595-WT	White	57.00	30.40	1	1	B30-R10000	
BBP31;BBP33	B30C-2250-595-YL	Yellow	57.00	30.40	1	1	B30-R10000	
BBP31;BBP33	B30C-3000-595-WT	White	75.00	30.40	1	1	B30-R10000	
BBP31;BBP33	B30C-3000-595-YL	Yellow	75.00	30.40	1	1	B30-R10000	
BBP31;BBP33	B30C-4000-595-BK	Black	101.00	30.40	1	1	B30-R10000-WT	
BBP31;BBP33	B30C-4000-595-BL	Blue	101.00	30.40	1	1	B30-R10000-WT	
BBP31;BBP33	B30C-4000-595-BR	Brown	101.00	30.40	1	1	B30-R10000-WT	
BBP31;BBP33	B30C-4000-595-CL	Clear	101.00	30.40	1	1	B30-R10000	
BBP31;BBP33	B30C-4000-595-GD	Gold	101.00	30.40	1	1	B30-R10000	
BBP31;BBP33	B30C-4000-595-GN	Green	101.00	30.40	1	1	B30-R10000-WT	
BBP31;BBP33	B30C-4000-595-GY	Grey	101.00	30.40	1	1	B30-R10000	
BBP31;BBP33	B30C-4000-595-OR	Orange	101.00	30.40	1	1	B30-R10000	
BBP31;BBP33	B30C-4000-595-PL	Purple	101.00	30.40	1	1	B30-R10000-WT	
BBP31;BBP33	B30C-4000-595-RD	Red	101.00	30.40	1	1	B30-R10000-WT	
BBP31;BBP33	B30C-4000-595-WT	White	101.00	30.40	1	1	B30-R10000	
BBP31;BBP33	B30C-4000-595-YL	Yellow	101.00	30.40	1	1	B30-R10000	

U.S. Patent Nos. 5,318,370; 5,823,689; 6,570,602. Additional Patents Pending.

B-569 HIGH PERFORMANCE POLYESTER

FOR LABELLING STAINLESS STEEL AND SMOOTH SURFACES

- Low-halide content for labelling stainless steel pipes and surfaces
- Applies best to very smooth surfaces and ideal for mounting to rigid panels
- Service temp: -40 °C to 100 °C
- Application temp: -18 °C to 100 °C




Fits Printer Model(s)	Order Reference	Colour	Size - Width A (mm)	Size - Length B (m)	Labels per Row	Labels per Roll	Recommended Ribbon	Diagram
BBP31;BBP33	B30C-500-569-BK	Black	12.70	30.40	1	1	B30-R10000-WT	⊙
BBP31;BBP33	B30C-500-569-BL	Blue	12.70	30.40	1	1	B30-R10000-WT	⊙
BBP31;BBP33	B30C-500-569-BR	Brown	12.70	30.40	1	1	B30-R10000-WT	⊙
BBP31;BBP33	B30C-500-569-CL	Clear	12.70	30.40	1	1	B30-R10000	⊙
BBP31;BBP33	B30C-500-569-GN	Green	12.70	30.40	1	1	B30-R10000-WT	⊙
BBP31;BBP33	B30C-500-569-GY	Grey	12.70	30.40	1	1	B30-R10000	⊙
BBP31;BBP33	B30C-500-569-LB	Light Blue	12.70	30.40	1	1	B30-R10000	⊙
BBP31;BBP33	B30C-500-569-OC	Ochre	12.70	30.40	1	1	B30-R10000	⊙
BBP31;BBP33	B30C-500-569-OR	Orange	12.70	30.40	1	1	B30-R10000	⊙
BBP31;BBP33	B30C-500-569-PK	Pink	12.70	30.40	1	1	B30-R10000	⊙
BBP31;BBP33	B30C-500-569-PL	Purple	12.70	30.40	1	1	B30-R10000-WT	⊙
BBP31;BBP33	B30C-500-569-RD	Red	12.70	30.40	1	1	B30-R10000-WT	⊙
BBP31;BBP33	B30C-500-569-SB	Sky Blue	12.70	30.40	1	1	B30-R10000	⊙
BBP31;BBP33	B30C-500-569-TN	Tan	12.70	30.40	1	1	B30-R10000	⊙
BBP31;BBP33	B30C-500-569-WT	White	12.70	30.40	1	1	B30-R10000	⊙
BBP31;BBP33	B30C-500-569-YL	Yellow	12.70	30.40	1	1	B30-R10000	⊙
BBP31;BBP33	B30C-1125-569-BK	Black	29.00	30.40	1	1	B30-R10000-WT	⊙
BBP31;BBP33	B30C-1125-569-BL	Blue	29.00	30.40	1	1	B30-R10000-WT	⊙
BBP31;BBP33	B30C-1125-569-BR	Brown	29.00	30.40	1	1	B30-R10000-WT	⊙
BBP31;BBP33	B30C-1125-569-CL	Clear	29.00	30.40	1	1	B30-R10000	⊙
BBP31;BBP33	B30C-1125-569-GN	Green	29.00	30.40	1	1	B30-R10000-WT	⊙
BBP31;BBP33	B30C-1125-569-GY	Grey	29.00	30.40	1	1	B30-R10000	⊙
BBP31;BBP33	B30C-1125-569-LB	Light Blue	29.00	30.40	1	1	B30-R10000	⊙
BBP31;BBP33	B30C-1125-569-OC	Ochre	29.00	30.40	1	1	B30-R10000	⊙
BBP31;BBP33	B30C-1125-569-OR	Orange	29.00	30.40	1	1	B30-R10000	⊙
BBP31;BBP33	B30C-1125-569-PK	Pink	29.00	30.40	1	1	B30-R10000	⊙
BBP31;BBP33	B30C-1125-569-PL	Purple	29.00	30.40	1	1	B30-R10000-WT	⊙
BBP31;BBP33	B30C-1125-569-RD	Red	29.00	30.40	1	1	B30-R10000-WT	⊙
BBP31;BBP33	B30C-1125-569-SB	Sky Blue	29.00	30.40	1	1	B30-R10000	⊙
BBP31;BBP33	B30C-1125-569-TN	Tan	29.00	30.40	1	1	B30-R10000	⊙
BBP31;BBP33	B30C-1125-569-WT	White	29.00	30.40	1	1	B30-R10000	⊙
BBP31;BBP33	B30C-1125-569-YL	Yellow	29.00	30.40	1	1	B30-R10000	⊙
BBP31;BBP33	B30C-2250-569-BK	Black	57.00	30.40	1	1	B30-R10000-WT	⊙
BBP31;BBP33	B30C-2250-569-BL	Blue	57.00	30.40	1	1	B30-R10000-WT	⊙
BBP31;BBP33	B30C-2250-569-BR	Brown	57.00	30.40	1	1	B30-R10000-WT	⊙
BBP31;BBP33	B30C-2250-569-CL	Clear	57.00	30.40	1	1	B30-R10000	⊙
BBP31;BBP33	B30C-2250-569-GN	Green	57.00	30.40	1	1	B30-R10000-WT	⊙
BBP31;BBP33	B30C-2250-569-GY	Grey	57.00	30.40	1	1	B30-R10000	⊙
BBP31;BBP33	B30C-2250-569-LB	Light Blue	57.00	30.40	1	1	B30-R10000	⊙
BBP31;BBP33	B30C-2250-569-OC	Ochre	57.00	30.40	1	1	B30-R10000	⊙
BBP31;BBP33	B30C-2250-569-OR	Orange	57.00	30.40	1	1	B30-R10000	⊙
BBP31;BBP33	B30C-2250-569-PK	Pink	57.00	30.40	1	1	B30-R10000	⊙
BBP31;BBP33	B30C-2250-569-PL	Purple	57.00	30.40	1	1	B30-R10000-WT	⊙
BBP31;BBP33	B30C-2250-569-RD	Red	57.00	30.40	1	1	B30-R10000-WT	⊙
BBP31;BBP33	B30C-2250-569-SB	Sky Blue	57.00	30.40	1	1	B30-R10000	⊙
BBP31;BBP33	B30C-2250-569-TN	Tan	57.00	30.40	1	1	B30-R10000	⊙
BBP31;BBP33	B30C-2250-569-WT	White	57.00	30.40	1	1	B30-R10000	⊙
BBP31;BBP33	B30C-2250-569-YL	Yellow	57.00	30.40	1	1	B30-R10000	⊙
BBP31;BBP33	B30C-3000-569-WT	White	75.00	30.40	1	1	B30-R10000	⊙
BBP31;BBP33	B30C-4000-569-BK	Black	101.00	30.40	1	1	B30-R10000-WT	⊙
BBP31;BBP33	B30C-4000-569-BL	Blue	101.00	30.40	1	1	B30-R10000-WT	⊙
BBP31;BBP33	B30C-4000-569-BR	Brown	101.00	30.40	1	1	B30-R10000-WT	⊙
BBP31;BBP33	B30C-4000-569-CL	Clear	101.00	30.40	1	1	B30-R10000	⊙
BBP31;BBP33	B30C-4000-569-GN	Green	101.00	30.40	1	1	B30-R10000-WT	⊙
BBP31;BBP33	B30C-4000-569-GY	Grey	101.00	30.40	1	1	B30-R10000	⊙
BBP31;BBP33	B30C-4000-569-LB	Light Blue	101.00	30.40	1	1	B30-R10000	⊙
BBP31;BBP33	B30C-4000-569-OC	Ochre	101.00	30.40	1	1	B30-R10000	⊙
BBP31;BBP33	B30C-4000-569-OR	Orange	101.00	30.40	1	1	B30-R10000	⊙

>>



B-569 HIGH PERFORMANCE POLYESTER (CONTINUED)

Fits Printer Model(s)	Order Reference	Colour	Size - Width A (mm)	Size - Length B (m)	Labels per Row	Labels per Roll	Recommended Ribbon	Diagram
BBP31;BBP33	B30C-4000-569-PK	Pink	101.00	30.40	1	1	B30-R10000	
BBP31;BBP33	B30C-4000-569-PL	Purple	101.00	30.40	1	1	B30-R10000-WT	
BBP31;BBP33	B30C-4000-569-RD	Red	101.00	30.40	1	1	B30-R10000-WT	
BBP31;BBP33	B30C-4000-569-SB	Sky Blue	101.00	30.40	1	1	B30-R10000	
BBP31;BBP33	B30C-4000-569-TN	Tan	101.00	30.40	1	1	B30-R10000	
BBP31;BBP33	B30C-4000-569-WT	White	101.00	30.40	1	1	B30-R10000	
BBP31;BBP33	B30C-4000-569-YL	Yellow	101.00	30.40	1	1	B30-R10000	




B-595 PRE-PRINTED RIGHT-TO-KNOW CHEMICAL LABELS

FOR QUICKLY CREATING NFPA AND COLOUR BAR LABELS

- Allows the printer to produce 5 colour chemical labels in a single print pass
- Indoor/Outdoor grade material withstands exposure to moisture, chemicals and handling
- Service temp: -40 °C to 82 °C
- Application temp: -18 °C to 82 °C

Fits Printer Model(s)	Order Reference	Diagram	Size - Width A (mm)	Size - Height B (mm)	Labels per Row	Labels per Roll	Recommended Ribbon	Diagram
BBP31;BBP33	B30-246-595-HMIG		29.00	82.50	1	300	B30-R10000	
BBP31;BBP33	B30-246-595-NFR		29.00	82.50	1	300	B30-R10000	
BBP31;BBP33	B30-244-595-CB		57.00	57.00	1	365	B30-R10000	
BBP31;BBP33	B30-244-595-NFPA		57.00	57.00	1	365	B30-R10000	
BBP31;BBP33	B30-244-595-DIAM		57.00	57.00	1	365	B30-R10000	
BBP31;BBP33	B30-244-595-HMIG		57.00	57.00	1	365	B30-R10000	
BBP31;BBP33	B30-245-595-CB		57.00	108.00	1	240	B30-R10000	
BBP31;BBP33	B30-245-595-NFPA		57.00	108.00	1	240	B30-R10000	
BBP31;BBP33	B30-161-595-DIAM		101.00	101.00	1	240	B30-R10000	
BBP31;BBP33	B30-243-595-NFPA		101.00	159.00	1	170	B30-R10000	
BBP31;BBP33	B30-243-595-CB		101.00	159.00	1	170	B30-R10000	




B-7569 PRE-PRINTED GHS/CLP CHEMICAL LABELS

PRINT 2 COLOUR GHS LABELS IN ONE FAST PRINT PASS!

- Blank labels with pre-printed red diamonds allow printer to produce 2 colour GHS/CLP labels in one print pass
- 3 sizes of labels, each with 6 diamond layouts that match templates in MarkWare™ Software
- Indoor/outdoor vinyl material withstands exposure to moisture, chemicals and handling
- MarkWare Software 3.9.1 or higher required (upgrades available for current MarkWare owners)
- Service temp: -20 °C to 75 °C
- Application temp: 10 °C to 75 °C



Fits Printer Model(s)	Order Reference		Size - Width A (mm)	Size - Height B (mm)	Labels per Row	Labels per Roll	Recommended Ribbon	Diagram
BBP31;BBP33	B30-260-7569-CLP1		55.00	85.00	1	340	B30-R10000	
BBP31;BBP33	B30-260-7569-CLP2		55.00	85.00	1	340	B30-R10000	
BBP31;BBP33	B30-260-7569-CLP3A		55.00	85.00	1	340	B30-R10000	
BBP31;BBP33	B30-260-7569-CLP3B		55.00	85.00	1	340	B30-R10000	
BBP31;BBP33	B30-260-7569-CLP4A		55.00	85.00	1	340	B30-R10000	
BBP31;BBP33	B30-260-7569-CLP4B		55.00	85.00	1	340	B30-R10000	
BBP31;BBP33	B30-261-7569-CLP1		75.00	110.00	1	270	B30-R10000	
BBP31;BBP33	B30-261-7569-CLP2		75.00	110.00	1	270	B30-R10000	
BBP31;BBP33	B30-261-7569-CLP3A		75.00	110.00	1	270	B30-R10000	
BBP31;BBP33	B30-261-7569-CLP3B		75.00	110.00	1	270	B30-R10000	
BBP31;BBP33	B30-261-7569-CLP4A		75.00	110.00	1	270	B30-R10000	
BBP31;BBP33	B30-261-7569-CLP4B		75.00	110.00	1	270	B30-R10000	
BBP31;BBP33	B30-262-7569-CLP1		105.00	155.00	1	200	B30-R10000	
BBP31;BBP33	B30-262-7569-CLP2		105.00	155.00	1	200	B30-R10000	
BBP31;BBP33	B30-262-7569-CLP3A		105.00	155.00	1	200	B30-R10000	
BBP31;BBP33	B30-262-7569-CLP3B		105.00	155.00	1	200	B30-R10000	
BBP31;BBP33	B30-262-7569-CLP4A		105.00	155.00	1	200	B30-R10000	
BBP31;BBP33	B30-262-7569-CLP4B		105.00	155.00	1	200	B30-R10000	




MARKWARE™ SOFTWARE

NOW INCLUDES A GHS/CLP LABEL MODULE

- 18 pre-formatted label layouts and approved GHS/CLP symbols are built-in - no need to set up the layout
- User selects approved pre-worded hazard statements and GHS/CLP symbols which then automatically populates into layout - no need to type anything in
- Prompts for additional variable data which then auto-populates into layout
- Indoor/outdoor vinyl material withstands exposure to moisture, chemicals and handling
- Choose a second language and MarkWare auto-populates in the second language
- Contains templates for BBP31/BBP33, GlobalMark and MiniMark printers

Order Reference	Art. No.	Description
Markware Software (Multi-lingual)	710669	MarkWare Industrial Signmaking Software






B-423 HSID LABELS

IDENTIFY YOUR HAZARDOUS SUBSTANCES

- Supplied with pre-printed orange squares, ready for you to print the required warning
- Service temp: -70 °C to 120 °C

Fits Printer Model(s)	Order Reference	Diagram	Size - Width A (mm)	Size - Height B (mm)	Labels per Row	Labels per Roll	Recommended Ribbon
BBP31;BBP33	B30-217-423-HSIDL1		55.00	75.00	1	424	B30-R6000
BBP31;BBP33	B30-217-423-HSIDL2		55.00	75.00	1	424	B30-R6000
BBP31;BBP33	B30-218-423-HSIDL1		75.00	105.00	1	315	B30-R6000
BBP31;BBP33	B30-218-423-HSIDL2		75.00	105.00	1	315	B30-R6000
BBP31;BBP33	B30-230-423-HSIDL1		105.00	150.00	1	225	B30-R6000
BBP31;BBP33	B30-230-423-HSIDL2		105.00	150.00	1	225	B30-R6000




B-595 AND B-7569 PRE-CUT BLANK LABELS

FOR GENERAL PURPOSE, PEEL-OFF-AND-APPLY IDENTIFICATION

- Ideal for a wide range of labelling applications
- Includes two sizes that are pre-cut and pre-sized to fit heavy-duty rigid tags
- Indoor/Outdoor grade material
- B-595 Service temp: -40 °C to 82 °C
- B-7569 Service temp: -20 °C to 75 °C
- B-595 Application temp: -40 °C to 82 °C
- B-7569 Application temp: 10 °C to 75 °C

Fits Printer Model(s)	Order Reference	Colour	Size - Width A (mm)	Size - Height B (mm)	Labels per Row	Labels per Roll	Recommended Ribbon	Diagram
BBP31;BBP33	B30-242-7569-BLNKWT	White	29.00	72.00	1	300	B30-R10000 (black or colours)	
BBP31;BBP33	B30-242-595-BLNKWT	White	29.00	72.00	1	300	B30-R10000 (black or colours)	
BBP31;BBP33	B30-241-7569-BLNKWT	White	57.00	75.00	1	300	B30-R10000 (black or colours)	
BBP31;BBP33	B30-241-7569-BLNKYL	Yellow	57.00	75.00	1	300	B30-R10000 (black or colours)	
BBP31;BBP33	B30-241-595-BLNKWT	White	57.00	75.00	1	300	B30-R10000 (black or colours)	
BBP31;BBP33	B30-241-595-BLNKYL	Yellow	57.00	75.00	1	300	B30-R10000 (black or colours)	
BBP31;BBP33	B30-219-7569-BLNKWT	White	57.00	98.00	1	250	B30-R10000 (black or colours)	
BBP31;BBP33	B30-219-595-BLNKWT	White	57.00	98.00	1	250	B30-R10000 (black or colours)	
BBP31;BBP33	B30-25-7569-BLNKWT	White	101.00	152.00	1	175	B30-R10000 (black or colours)	
BBP31;BBP33	B30-25-7569-BLNKYL	Yellow	101.00	152.00	1	175	B30-R10000 (black or colours)	
BBP31;BBP33	B30-25-595-BLNKWT	White	101.00	152.00	1	175	B30-R10000 (black or colours)	
BBP31;BBP33	B30-25-595-BLNKYL	Yellow	101.00	152.00	1	175	B30-R10000 (black or colours)	




B-551 NON-ADHESIVE CONTINUOUS TAG STOCK

FOR SAFETY, LOCKOUT AND GENERAL PURPOSE HANGING TAGS.

- Non-adhesive, polyester stock
- Easy to hole-punch; optional snap-in grommets available.
Order Reference: 020596
- Meets OSHA 50lb pullout spec for lockout tags
- Service temp: -40 °C to 90 °C
- Application temp: -18 °C to 90 °C

Fits Printer Model(s)	Order Reference	Colour	Size - Width A (mm)	Size - Length B (m)	Labels per Row	Labels per Roll	Recommended Ribbon	Diagram
BBP31;BBP33	B30C-2500-551-WT	White	64.00	15.20	1	1	B30-R10000	
BBP31;BBP33	B30C-3250-551-WT	White	83.00	15.20	1	1	B30-R10000	
BBP31;BBP33	B30C-4250-551-WT	White	108.00	15.20	1	1	B30-R10000	



B-584 RETRO REFLECTIVE TAPE

FOR HIGHLY REFLECTIVE IDENTIFICATION THAT SHINES BACK BRIGHTLY WHEN STRUCK BY LIGHT.

- Ideal for labelling outdoor utility poles and pedestals, jobsite equipment and roof-top equipment
- Recommended low light or inclement weather conditions
- Service Temp: -40 °C to 70 °C
- Application temp: -18 °C (Orange & Yellow) / 10 °C (Silver) to 70 °C



Fits Printer Model(s)	Order Reference	Colour	Size - Width A (mm)	Size - Length B (m)	Labels per Row	Labels per Roll	Recommended Ribbon	Diagram
BBP31;BBP33	B30C-1125-584-OR	Orange	28.58	30.40	1	1	B30-R10000	
BBP31;BBP33	B30C-1125-584-SL	Silver	28.58	30.40	1	1	B30-R10000	
BBP31;BBP33	B30C-1125-584-YL	Yellow	28.58	30.40	1	1	B30-R10000	
BBP31;BBP33	B30C-2250-584-OR	Orange	57.15	15.20	1	1	B30-R10000	
BBP31;BBP33	B30C-2250-584-SL	Silver	57.15	15.20	1	1	B30-R10000	
BBP31;BBP33	B30C-2250-584-YL	Yellow	57.15	15.20	1	1	B30-R10000	
BBP31;BBP33	B30C-4000-584-OR	Orange	101.60	15.20	1	1	B30-R10000	
BBP31;BBP33	B30C-4000-584-SL	Silver	101.60	15.20	1	1	B30-R10000	
BBP31;BBP33	B30C-4000-584-YL	Yellow	101.60	15.20	1	1	B30-R10000	

B-526 BRADYGLO™ HIGH-INTENSITY PHOTOLUMINESCENT TAPE

FOR GLOW-IN-THE DARK IDENTIFICATION - UP TO 10 HOURS!

- Designed for directional and evacuation marking
- Ideal for marking emergency utility shut-offs, fire extinguishers, alarm pulls and vital equipment controls
- Service temp: -40 °C to 60 °C
- Application temp: 10 °C to 60 °C



Fits Printer Model(s)	Order Reference	Colour	Size - Width A (mm)	Size - Length B (m)	Labels per Row	Labels per Roll	Recommended Ribbon	Diagram
BBP31;BBP33	B30C-1125-526	Luminous Green	29.00	15.20	1	1	B30-R10000	
BBP31;BBP33	B30C-2250-526	Luminous Green	57.00	15.20	1	1	B30-R10000	
BBP31;BBP33	B30C-4000-526	Luminous Green	101.00	15.20	1	1	B30-R10000	

B-509 PRINTABLE MAGNETIC SUPPLY

EASIEST AND QUICKEST MATERIAL FOR REMOVING AND REPOSITIONING.

- Non-adhesive magnetic material that can be printed on directly
- Ideal for reusable and repositionable identification applications
- Service temp: -18 °C to 70 °C
- Application temp: -18 °C to 70 °C



Fits Printer Model(s)	Order Reference	Colour	Size - Width A (mm)	Size - Length B (m)	Labels per Row	Labels per Roll	Recommended Ribbon	Diagram
BBP31;BBP33	B30C-2500-509-WT	White	64.00	7.60	1	1	B30-R6000	
BBP31;BBP33	B30C-2500-509-YL	Yellow	64.00	7.60	1	1	B30-R6000	
BBP31;BBP33	B30C-4250-509-WT	White	108.00	7.60	1	1	B30-R6000	
BBP31;BBP33	B30C-4250-509-YL	Yellow	108.00	7.60	1	1	B30-R6000	

B-549 COLD TEMPERATURE APPLICATION MATERIAL

FOR IDENTIFICATION IN TEMPERATURES AS COLD AS -40°C.

- Special adhesive permanently adheres to extremely cold surfaces
- Can be applied in -23° C and lasts in -40° C
- Ideal for cold storage warehouses, fridges, freezers and short-term outdoor use in winter



Fits Printer Model(s)	Order Reference	Colour	Size - Width A (mm)	Size - Length B (m)	Labels per Row	Labels per Roll	Recommended Ribbon	Diagram
BBP31;BBP33	B30C-1125-549-WT	White	29.00	30.40	1	1	B30-R10000	
BBP31;BBP33	B30C-1125-549-YL	Yellow	29.00	30.40	1	1	B30-R10000	
BBP31;BBP33	B30C-2250-549-WT	White	57.00	30.40	1	1	B30-R10000	
BBP31;BBP33	B30C-2250-549-YL	Yellow	57.00	30.40	1	1	B30-R10000	
BBP31;BBP33	B30C-4000-549-WT	White	101.00	30.40	1	1	B30-R10000	
BBP31;BBP33	B30C-4000-549-YL	Yellow	101.00	30.40	1	1	B30-R10000	




B-581 REPOSITIONABLE VINYL

FOR 5S AND LEAN APPLICATIONS



- Aggressive adhesive stays in place but removes cleanly without leaving adhesive residue
- Ideal for temporary, removable and repositionable labels, like 5S and lean inventory labels

Fits Printer Model(s)	Order Reference	Colour	Size - Width A (mm)	Size - Length B (m)	Labels per Row	Labels per Roll	Recommended Ribbon	Diagram
BBP31;BBP33	B30C-500-581-WT	White	12.50	30.40	1	1	B30-R10000	
BBP31;BBP33	B30C-500-581-YL	Yellow	12.50	30.40	1	1	B30-R10000	
BBP31;BBP33	B30C-1125-581-WT	White	29.00	30.40	1	1	B30-R10000	
BBP31;BBP33	B30C-1125-581-YL	Yellow	29.00	30.40	1	1	B30-R10000	
BBP31;BBP33	B30C-2250-581-WT	White	57.00	30.40	1	1	B30-R10000	
BBP31;BBP33	B30C-2250-581-YL	Yellow	57.00	30.40	1	1	B30-R10000	
BBP31;BBP33	B30C-4000-581-WT	White	101.00	30.40	1	1	B30-R10000	
BBP31;BBP33	B30C-4000-581-YL	Yellow	101.00	30.40	1	1	B30-R10000	




B-7569 INDOOR/OUTDOOR VINYL

GENERAL PURPOSE INDUSTRIAL VINYL FOR OUTDOOR/INDOOR USAGE



- High gloss, durable and flexible identification material
- Adheres to difficult low surface energy materials
- Can handle up to 75°C, which meets industry maintenance temperatures
- Low-shrink Vinyl
- Service temp: -20 °C to 75 °C
- Application temp: 10 °C to 75 °C

Fits Printer Model(s)	Order Reference	Colour	Size - Width A (mm)	Size - Length B (m)	Labels per Row	Labels per Roll	Recommended Ribbon	Diagram
BBP31;BBP33	B30C-500-7569-BK	Black	12.70	30.00	1	1	B30-R10000-WT	
BBP31;BBP33	B30C-500-7569-BL	Blue	12.70	30.00	1	1	B30-R10000-WT	
BBP31;BBP33	B30C-500-7569-GN	Green	12.70	30.00	1	1	B30-R10000-WT	
BBP31;BBP33	B30C-500-7569-OR	Orange	12.70	30.00	1	1	B30-R10000	
BBP31;BBP33	B30C-500-7569-RD	Red	12.70	30.00	1	1	B30-R10000-WT	
BBP31;BBP33	B30C-500-7569-WT	White	12.70	30.00	1	1	B30-R10000	
BBP31;BBP33	B30C-500-7569-YL	Yellow	12.70	30.00	1	1	B30-R10000	
BBP31;BBP33	B30C-1125-7569-BK	Black	29.00	30.00	1	1	B30-R10000-WT	
BBP31;BBP33	B30C-1125-7569-BL	Blue	29.00	30.00	1	1	B30-R10000-WT	
BBP31;BBP33	B30C-1125-7569-GN	Green	29.00	30.00	1	1	B30-R10000-WT	
BBP31;BBP33	B30C-1125-7569-OR	Orange	29.00	30.00	1	1	B30-R10000	
BBP31;BBP33	B30C-1125-7569-RD	Red	29.00	30.00	1	1	B30-R10000-WT	
BBP31;BBP33	B30C-1125-7569-WT	White	29.00	30.00	1	1	B30-R10000	
BBP31;BBP33	B30C-1125-7569-YL	Yellow	29.00	30.00	1	1	B30-R10000	
BBP31;BBP33	B30C-2250-7569-BK	Black	57.00	30.00	1	1	B30-R10000-WT	
BBP31;BBP33	B30C-2250-7569-BL	Blue	57.00	30.00	1	1	B30-R10000-WT	
BBP31;BBP33	B30C-2250-7569-GN	Green	57.00	30.00	1	1	B30-R10000-WT	
BBP31;BBP33	B30C-2250-7569-OR	Orange	57.00	30.00	1	1	B30-R10000	
BBP31;BBP33	B30C-2250-7569-RD	Red	57.00	30.00	1	1	B30-R10000-WT	
BBP31;BBP33	B30C-2250-7569-WT	White	57.00	30.00	1	1	B30-R10000	
BBP31;BBP33	B30C-2250-7569-YL	Yellow	57.00	30.00	1	1	B30-R10000	
BBP31;BBP33	B30C-3000-7569-WT	White	75.00	30.00	1	1	B30-R10000	
BBP31;BBP33	B30C-3000-7569-YL	Yellow	75.00	30.00	1	1	B30-R10000	
BBP31;BBP33	B30C-4000-7569-BK	Black	101.00	30.00	1	1	B30-R10000-WT	
BBP31;BBP33	B30C-4000-7569-BL	Blue	101.00	30.00	1	1	B30-R10000-WT	
BBP31;BBP33	B30C-4000-7569-GN	Green	101.00	30.00	1	1	B30-R10000-WT	
BBP31;BBP33	B30C-4000-7569-OR	Orange	101.00	30.00	1	1	B30-R10000	
BBP31;BBP33	B30C-4000-7569-RD	Red	101.00	30.00	1	1	B30-R10000-WT	
BBP31;BBP33	B30C-4000-7569-WT	White	101.00	30.00	1	1	B30-R10000	
BBP31;BBP33	B30C-4000-7569-YL	Yellow	101.00	30.00	1	1	B30-R10000	




B-593 RAISED PROFILE LABELS - PUSH BUTTON STYLE

LOWER COST THAN ENGRAVED LEGEND PLATES

- High gloss, polyester label with thick raised profile and ultra-aggressive adhesive (total thickness = 0.65 mm)
- High performance, low cost substitute to engraved plates
- 10 year outdoor durability rating
- On-demand labelling: labels print out in less than 4 seconds
- 5 push button sizes (including keyed and non-keyed 22.50 mm and 30.50 mm hole diam keyed)
- Service temp: -20 °C to 100 °C
- Agency approvals: UL, cUL, RoHS



Fits Printer Model(s)	Order Reference	Colour	Size - Width A (mm)	Size - Height B (mm)	Hole Diameter (mm)	Vertical Repeat D (mm)	Labels per Row	Labels per Roll	Recommended Ribbon	Diagram
BBP31;BBP33	B30EP-167-593-WT	White	38.10	30.48	22.5	44.50	1	235	B30-R6000	
BBP31;BBP33	B30EP-167-593-RD	Red	38.10	30.48	22.5	44.50	1	235	B30-R4400-WT	
BBP31;BBP33	B30EP-167-593-YL	Yellow	38.10	30.48	22.5	44.50	1	235	B30-R6000	
BBP31;BBP33	B30EP-167-593-GN	Green	38.10	30.48	22.5	44.50	1	235	B30-R4400-WT	
BBP31;BBP33	B30EP-167-593-BK	Black	38.10	30.48	22.5	44.50	1	235	B30-R4400-WT	
BBP31;BBP33	B30EP-167U-593-WT	White	38.10	30.48	22.5	44.50	1	235	B30-R6000	
BBP31;BBP33	B30EP-167U-593-RD	Red	38.10	30.48	22.5	44.50	1	235	B30-R4400-WT	
BBP31;BBP33	B30EP-167U-593-YL	Yellow	38.10	30.48	22.5	44.50	1	235	B30-R6000	
BBP31;BBP33	B30EP-167U-593-GN	Green	38.10	30.48	22.5	44.50	1	235	B30-R4400-WT	
BBP31;BBP33	B30EP-167U-593-BK	Black	38.10	30.48	22.5	44.50	1	235	B30-R4400-WT	
BBP31;BBP33	B30EP-169-593-WT	White	45.72	45.72	30.5	50.80	1	190	B30-R6000	
BBP31;BBP33	B30EP-169-593-RD	Red	45.72	45.72	30.5	50.80	1	190	B30-R4400-WT	
BBP31;BBP33	B30EP-169-593-YL	Yellow	45.72	45.72	30.5	50.80	1	190	B30-R6000	
BBP31;BBP33	B30EP-169-593-GN	Green	45.72	45.72	30.5	50.80	1	190	B30-R4400-WT	
BBP31;BBP33	B30EP-169-593-BK	Black	45.72	45.72	30.5	50.80	1	190	B30-R4400-WT	
BBP31;BBP33	B30EP-168-593-WT	White	48.26	30.48	22.5	54.00	1	180	B30-R6000	
BBP31;BBP33	B30EP-168-593-RD	Red	48.26	30.48	22.5	54.00	1	180	B30-R4400-WT	
BBP31;BBP33	B30EP-168-593-YL	Yellow	48.26	30.48	22.5	54.00	1	180	B30-R6000	
BBP31;BBP33	B30EP-168-593-GN	Green	48.26	30.48	22.5	54.00	1	180	B30-R4400-WT	
BBP31;BBP33	B30EP-168-593-BK	Black	48.26	30.48	22.5	54.00	1	180	B30-R4400-WT	
BBP31;BBP33	B30EP-170-593-WT	White	60.96	60.96	30.5	66.70	1	145	B30-R6000	
BBP31;BBP33	B30EP-170-593-RD	Red	60.96	60.96	30.5	66.70	1	145	B30-R4400-WT	
BBP31;BBP33	B30EP-170-593-YL	Yellow	60.96	60.96	30.5	66.70	1	145	B30-R6000	
BBP31;BBP33	B30EP-170-593-GN	Green	60.96	60.96	30.5	66.70	1	145	B30-R4400-WT	
BBP31;BBP33	B30EP-170-593-BK	Black	60.96	60.96	30.5	66.70	1	145	B30-R4400-WT	




B-593 RAISED PROFILE LABELS

LOWER COST THAN ENGRAVED LEGEND PLATES

- High gloss, polyester label with thick raised profile and ultra-aggressive adhesive (0.65 mm)
- Ideal for inside-panel backer board labels and front-of-enclosure labelling
- On-demand labelling: labels print out in less than 4 seconds
- No need to abbreviate your text to avoid per character engraving charges
- 10-year outdoor durability rating
- 6 colours, 7 rectangular sizes
- Service temp: -20 °C to 100 °C
- Agency Approvals: UL, cUL, RoHS



Fits Printer Model(s)	Order Reference	Colour	Size - Width A (mm)	Size - Height B (mm)	Vertical Repeat D (mm)	Labels per Row	Labels per Roll	Recommended Ribbon	Diagram
BBP31;BBP33	B30EP-171-593-WT	White	26.92	12.70	19.10	1	610	B30-R6000	
BBP31;BBP33	B30EP-171-593-RD	Red	26.92	12.70	19.10	1	610	B30-R4400-WT	
BBP31;BBP33	B30EP-171-593-YL	Yellow	26.92	12.70	19.10	1	610	B30-R6000	
BBP31;BBP33	B30EP-171-593-GN	Green	26.92	12.70	19.10	1	610	B30-R4400-WT	
BBP31;BBP33	B30EP-171-593-SL	Silver	26.92	12.70	19.10	1	610	B30-R6000	
BBP31;BBP33	B30EP-171-593-BK	Black	26.92	12.70	19.10	1	610	B30-R4400-WT	
BBP31;BBP33	B30EP-172-593-WT	White	44.99	14.99	21.60	1	510	B30-R6000	
BBP31;BBP33	B30EP-172-593-RD	Red	44.99	14.99	21.60	1	510	B30-R4400-WT	
BBP31;BBP33	B30EP-172-593-YL	Yellow	44.99	14.99	21.60	1	510	B30-R6000	
BBP31;BBP33	B30EP-172-593-GN	Green	44.99	14.99	21.60	1	510	B30-R4400-WT	
BBP31;BBP33	B30EP-172-593-SL	Silver	44.99	14.99	21.60	1	510	B30-R6000	
BBP31;BBP33	B30EP-172-593-BK	Black	44.99	14.99	21.60	1	510	B30-R4400-WT	
BBP31;BBP33	B30EP-173-593-WT	White	50.80	25.40	31.80	1	340	B30-R6000	
BBP31;BBP33	B30EP-173-593-RD	Red	50.80	25.40	31.80	1	340	B30-R4400-WT	
BBP31;BBP33	B30EP-173-593-YL	Yellow	50.80	25.40	31.80	1	340	B30-R6000	
BBP31;BBP33	B30EP-173-593-GN	Green	50.80	25.40	31.80	1	340	B30-R4400-WT	
BBP31;BBP33	B30EP-173-593-SL	Silver	50.80	25.40	31.80	1	340	B30-R6000	
BBP31;BBP33	B30EP-173-593-BK	Black	50.80	25.40	31.80	1	340	B30-R4400-WT	
BBP31;BBP33	B30EP-175-593-WT	White	76.20	19.05	25.40	1	435	B30-R6000	
BBP31;BBP33	B30EP-175-593-YL	Yellow	76.20	19.05	25.40	1	435	B30-R6000	




>>



B-593 RAISED PROFILE LABELS (CONTINUED)

LOWER COST THAN ENGRAVED LEGEND PLATES

Fits Printer Model(s)	Order Reference	Colour	Size - Width A (mm)	Size - Height B (mm)	Vertical Repeat D (mm)	Labels per Row	Labels per Roll	Recommended Ribbon	Diagram
BBP31;BBP33	B30EP-175-593-GN	Green	76.20	19.05	25.40	1	435	B30-R4400-WT	▲
BBP31;BBP33	B30EP-175-593-BK	Black	76.20	19.05	25.40	1	435	B30-R4400-WT	▲
BBP31;BBP33	B30EP-176-593-WT	White	76.20	25.40	31.80	1	340	B30-R6000	▲
BBP31;BBP33	B30EP-176-593-YL	Yellow	76.20	25.40	31.80	1	340	B30-R6000	▲
BBP31;BBP33	B30EP-176-593-GN	Green	76.20	25.40	31.80	1	340	B30-R4400-WT	▲
BBP31;BBP33	B30EP-176-593-BK	Black	76.20	25.40	31.80	1	340	B30-R4400-WT	▲
BBP31;BBP33	B30EP-177-593-WT	White	76.20	63.50	69.90	1	145	B30-R6000	▲
BBP31;BBP33	B30EP-177-593-YL	Yellow	76.20	63.50	69.90	1	145	B30-R6000	▲
BBP31;BBP33	B30EP-177-593-GN	Green	76.20	63.50	69.90	1	145	B30-R4400-WT	▲
BBP31;BBP33	B30EP-177-593-BK	Black	76.20	63.50	69.90	1	145	B30-R4400-WT	▲
BBP31;BBP33	B30EP-174-593-WT	White	101.60	25.40	31.80	1	340	B30-R6000	▲
BBP31;BBP33	B30EP-174-593-RD	Red	101.60	25.40	31.80	1	340	B30-R4400-WT	▲
BBP31;BBP33	B30EP-174-593-YL	Yellow	101.60	25.40	31.80	1	340	B30-R6000	▲
BBP31;BBP33	B30EP-174-593-GN	Green	101.60	25.40	31.80	1	340	B30-R4400-WT	▲
BBP31;BBP33	B30EP-174-593-SL	Silver	101.60	25.40	31.80	1	340	B30-R6000	▲
BBP31;BBP33	B30EP-174-593-BK	Black	101.60	25.40	31.80	1	340	B30-R4400-WT	▲







INSIDE-PANEL COMPONENT LABELS

FOR AUTOMATION & ELECTRICAL PANELS AND ENCLOSURES

- Various sizes in several durable material types
- Ideal for marking backer board, DIN rail, relays, PLCs, switches, solenoids, drive motors and other components
- All recommended materials are flexible and have high-tack adhesives for adhesion to wide variety of surfaces and components
- B-483 Service temp: -40 °C to 120 °C
- B-498 Service temp: -40 °C to 80 °C
- B-499 Service temp: -40 °C to 90 °C
- B-593 Service temp: -20 °C to 100 °C
- B-595 Service temp: -40 °C to 82 °C
- Agency Approvals: UL, cUL, RoHS





Fits Printer Model(s)	Order Reference	Colour	Size - Width A (mm)	Size - Height B (mm)	Size - Diam C (mm)	Vertical Repeat D (mm)	Horizontal Repeat C (mm)	Labels per Row	Labels per Roll	Recommended Ribbon	Diagram
B-483											
BBP33	B33-5-483	White	25.40	12.70	-	15.20	27.30	3	5000	B30-R6000	●
BBP33	B33-17-483	White	50.80	25.40	-	28.60	-	1	1500	B30-R6000	▲
BBP33	B33-18-483	White	76.20	25.40	-	28.60	-	1	1500	B30-R6000	▲
BBP33	B33-19-483	White	76.20	50.80	-	54.00	-	1	500	B30-R6000	▲
B-498											
BBP33	B33-90-498	White	6.35	36.50	-	39.70	8.90	6	2500	B30-R6200	●
BBP33	B33-68-498	White	12.70	19.05	-	22.20	15.20	4	5000	B30-R6200	●
BBP33	B33-87-498	White	12.70	36.50	-	39.70	15.20	6	2500	B30-R6200	●
BBP33	B33-1-498	White	19.05	6.35	-	8.90	20.30	4	5000	B30-R6200	●
BBP33	B33-95-498	White	20.32	36.50	-	39.70	22.90	3	2500	B30-R6200	●
BBP33	B33-5-498	White	25.40	12.70	-	15.20	27.30	3	5000	B30-R6200	●
BBP33	B33-88-498	White	25.40	19.05	-	22.20	27.90	2	2500	B30-R6200	●
BBP33	B33-89-498	White	25.40	36.50	-	39.70	27.90	3	2500	B30-R6200	●
B-499											
BBP33	B33-143-499	White	-	-	9.53	12.70	12.10	4	1500	B30-R6000	//
BBP33	B33-144-499	White	-	-	12.70	15.90	15.20	3	1500	B30-R6000	//
BBP33	B33-602-499	White	-	-	9.53	12.50	-	3	3000	B30-R6000	//
BBP33	B33-602-499YL	Yellow	-	-	9.53	12.50	-	3	3000	B30-R6000	//
BBP33	B33-603-499	White	-	-	12.70	15.70	15.70	3	3000	B30-R6000	//
BBP33	B33-603-499YL	Yellow	-	-	12.70	15.70	15.70	3	3000	B30-R6000	//
BBP33	B33-68-499	White	12.70	19.05	-	22.20	15.20	4	1500	B30-R6000	●
BBP33	B33-165-499	White	20.32	36.50	-	39.70	22.90	4	2500	B30-R6000	●
BBP33	B33-125-499	White	22.86	12.70	-	15.24	-	1	1500	B30-R6000	▲
BBP33	B33-163-499	White	25.40	9.53	9.53	12.70	-	1	1500	B30-R6000	▲
BBP33	B33-152-499	White	25.40	9.53	-	12.07	27.94	2	1500	B30-R6000	●
BBP33	B33-126-499	White	38.10	12.70	-	15.24	-	1	1500	B30-R6000	▲
BBP33	B33-136-499	White	38.10	19.05	-	16.50	-	1	1500	B30-R6000	▲
BBP33	B33-151-499	White	50.80	6.35	-	-	-	1	1500	B30-R6000	▲
B-593											
BBP31;BBP33	B30EP-171-593-WT	White	26.92	12.70	-	19.10	-	1	610	B30-R6000	▲
BBP31;BBP33	B30EP-171-593-SL	Silver	26.92	12.70	-	19.10	-	1	610	B30-R6000	▲
BBP31;BBP33	B30EP-171-593-BK	Black	26.92	12.70	-	19.10	-	1	610	B30-R4400-WT	▲
B-595											
BBP31;BBP33	B30C-500-595-WT	White	12.70	-	-	-	-	1	1	B30-R10000	◎
BBP31;BBP33	B30C-500-595-YL	Yellow	12.70	-	-	-	-	1	1	B30-R10000	◎



B-427 SELF-LAMINATING WIRE & CABLE MARKERS

BRADY'S MOST POPULAR WIRE MARKER!

- Features white printable area with clear "tail" that wraps around marker to protect text
- Superior resistance to abrasion, handling, solvents, water, oil and dirt
- Permanent acrylic adhesive designed specifically for tightly curved surfaces
- Service temp: -40 °C to 70 °C
- Agency Approvals: UL, RoHS




Fits Printer Model(s)	Order Reference	Colour	Size - Width A (mm)	Size - Height B (mm)	Printable Area Width PW (mm)	Printable Area Height PH (mm)	Vertical Repeat D (mm)	Horizontal Repeat C (mm)	Labels per Row	Labels per Roll	For Wire Gauge	Recommended Ribbon	Diagram
BBP33	B33-80-427	White/Transparent	12.70	19.05	12.70	9.53	24.10	15.20	4	2500		B30-R4300	☐
BBP33	B33-113-427	White/Transparent	12.70	25.40	12.70	9.53	28.60	15.20	4	2500		B30-R4300	☐
BBP31; BBP33	B30-231-427	White/Transparent	12.70	31.75	12.7	12.70	38.10	15.24	7	2800	10 to 4	B30-R4300	☐
BBP33	B33-8-427	White/Transparent	12.70	36.50	12.70	12.70	41.30	16.80	5	5000		B30-R4300	☐
BBP33	B33-56-427	White/Transparent	19.05	23.80	19.05	9.53	28.60	20.30	4	5000		B30-R4300	☐
BBP33	B33-73-427	White/Transparent	19.05	44.45	19.05	12.70	47.60	20.30	4	5000		B30-R4300	☐
BBP33	B33-74-427	White/Transparent	20.32	36.50	20.32	12.70	41.30	20.30	4	5000		B30-R4300	☐
BBP31; BBP33	B30-229-427	White/Transparent	25.40	19.05	25.4	9.53	25.40	31.75	1	4000	16 to 10	B30-R4300	☐
BBP33	B33-116-427	White/Transparent	25.40	25.40	25.40	9.53	28.60	27.90	2	2500		B30-R4300	☐
BBP33	B33-211-427	White/Transparent	25.40	25.40	25.40	9.53	32.13	29.74	3	3000		B30-R4300	☐
BBP33	B33-311-427	White/Transparent	25.40	31.75	25.40	12.70	37.72	28.50	3	3000		B30-R4300	☐
BBP33	B33-9-427	White/Transparent	25.40	36.50	25.40	12.70	41.30	27.30	3	2500		B30-R4300	☐
BBP31; BBP33	B30-233-427	White/Transparent	25.40	38.10	25.4	12.70	44.45	31.75	1	2300	10 to 4	B30-R4300	☐
BBP33	B33-75-427	White/Transparent	25.40	57.15	25.40	19.05	60.30	27.90	2	1500		B30-R4300	☐
BBP33	B33-511-427	White/Transparent	25.40	63.50	25.40	19.05	70.64	33.50	3	1500		B30-R4300	☐
BBP33	B33-10-427	White/Transparent	25.40	95.25	25.40	25.40	101.60	27.30	3	1500		B30-R4300	☐
BBP33	B33-81-427	White/Transparent	25.40	152.40	25.40	38.10	157.10	27.90	2	500		B30-R4300	☐
BBP33	B33-135-427*	White	38.10	19.05			22.22	-	1	1500		B30-R4300	☐
BBP33	B33-118-427	White/Transparent	38.10	25.40	38.10	9.53	28.60	-	1	1250		B30-R4300	☐
BBP31; BBP33	B30-225-427	White/Transparent	38.10	31.75	38.1	12.70	38.10	50.80	2	1800	10 to 4	B30-R4300	☐
BBP33	B33-119-427	White/Transparent	38.10	38.10	38.10	12.70	41.30	-	1	1000		B30-R4300	☐
BBP33	B33-517-427	White/Transparent	38.10	63.50	38.10	19.05	69.85	49.00	2	1000		B30-R4300	☐
BBP31; BBP33	B30-188-427	White/Transparent	38.10	101.60	38.1	25.40	107.95	50.80	2	600	3/0 to kcmil	B30-R4300	☐
BBP31; BBP33	B30-226-427	White/Transparent	38.10	152.40	38.1	38.10	158.75	50.80	2	400	3/0 to kcmil	B30-R4300	☐
BBP33	B33-120-427	White/Transparent	44.45	25.40	44.45	9.53	28.60	-	1	1250		B30-R4300	☐
BBP33	B33-121-427	White/Transparent	44.45	38.10	44.45	12.70	41.30	-	1	1000		B30-R4300	☐
BBP33	B33-137-427*	White	50.80	25.40			28.60	-	1	1500		B30-R4300	☐
BBP33	B33-27-427	White/Transparent	50.80	95.25	50.80	25.40	101.60	-	1	500		B30-R4300	☐
BBP33	B33-640-427AW	White	55.88	38.10			45.08	-	1	2000		B30-R4300	☐
BBP33	B33-26-427	White/Transparent	63.50	57.15	63.50	19.05	61.90	-	1	500		B30-R4300	☐
BBP33	B33-131-427	White/Transparent	66.68	25.40	25.40	25.40	28.60	-	1	1500		B30-R4300	☐
BBP33	B33-648-427AW	White	66.68	25.40			32.38	-	1	2000		B30-R4300	☐

* AW = All White / no transparent area

B-425 FIBRE OPTIC LABELS

IDEAL FOR MARKING FIBRE OPTIC CABLES.

- Allows you to handle and view labels without touching the wires.
- Service temp: -70 °C to 80 °C
- Agency Approvals: UL, cUL, CSA, RoHs



Fits Printer Model(s)	Order Reference	Size - Width A (mm)	Size - Height B (mm)	Horizontal Repeat C (mm)	Vertical Repeat D (mm)	Labels per Row	Labels per Roll	Recommended Ribbon	Diagram
BBP33	B33FP-01-425	30.00	10.00	-	26.03	1	1000	B30-R4300	☐
BBP33	B33FT-01-425	30.00	10.00	33.00	46.03	2	1000	B30-R4300	☐




B-7597 TEAR RESISTANT TAGS

THIS TAG CAN BE USED FOR A VARIETY OF APPLICATIONS INCLUDING IDENTIFICATION OF MULTI-CONDUCTOR CABLES, INVENTORY AND EQUIPMENT.

- Service temp: -40 °C to 100 °C
- Agency approvals: RoHS

Fits Printer Model(s)	Order Reference	Size - Width A (mm)	Size - Height B (mm)	Vertical Repeat D (mm)	Labels per Row	Labels per Roll	Recommended Ribbon	Diagram
BBP33	B33-7597W-2050	50.80	12.70	16.72	1	2000	B30-R4300	





B-498 REPOSITIONABLE VINYL CLOTH WIRE & CABLE MARKERS

HOLDS STRONG BUT CAN BE REMOVED CLEANLY AND RE-APPLIED.

- A vinyl cloth label for marking wires, cables and inside-panel components
- Highly unique adhesive and cloth construction gives excellent holding power and still allows for clean removal and re-application
- Ideal choice for marking both ends of a wire that you may need to cut shorted before final termination
- Service temp: -40 °C to 80 °C
- Agency Approvals: UL, RoHS

Fits Printer Model(s)	Order Reference	Size - Width A (mm)	Size - Height B (mm)	Horizontal Repeat C (mm)	Vertical Repeat D (mm)	Labels per Row	Labels per Roll	Recommended Ribbon	Diagram
BBP33	B33-90-498	6.35	36.50	8.90	39.70	6	2500	B30-R6200	
BBP33	B33-87-498	12.70	36.50	15.20	39.70	6	2500	B30-R6200	
BBP33	B33-68-498	12.70	19.05	15.20	22.20	4	5000	B30-R6200	
BBP33	B33-14-498	16.51	5.08	17.80	7.60	4	5000	B30-R6200	
BBP33	B33-1-498	19.05	6.35	20.30	8.90	4	5000	B30-R6200	
BBP33	B33-91-498	19.05	23.80	21.60	27.00	4	2500	B30-R6200	
BBP33	B33-95-498	20.32	36.50	22.90	39.70	3	2500	B30-R6200	
BBP33	B33-165-498	20.32	36.50	22.90	39.70	4	2500	B30-R6200	
BBP33	B33-88-498	25.40	19.05	27.90	22.20	2	2500	B30-R6200	
BBP33	B33-5-498	25.40	12.70	27.30	15.20	3	5000	B30-R6200	
BBP33	B33-89-498	25.40	36.50	27.90	39.70	3	2500	B30-R6200	





B-499 WIRE & CABLE MARKERS

THIS NYLON CLOTH MATERIAL HAS SUPERB ADHESIVE POWER, MAKING IT A FLEXIBLE ALL SURFACES SOLUTION.

- Service temp: -40 °C to 90 °C
- Agency approvals: UL, CSA, RoHS, halogen-free per DIN VDE 0472 part 815

Fits Printer Model(s)	Order Reference	Size - Width A (mm)	Size - Height B (mm)	Horizontal Repeat C (mm)	Vertical Repeat D (mm)	Labels per Row	Labels per Roll	Recommended Ribbon	Diagram
BBP33	B33-611-499	12.70	25.40	15.70	28.40	3	3000	B30-R6000	
BBP33	B33-620-499	12.70	25.40	-	28.40	1	1000	B30-R6000	
BBP33	B33-125-499	22.86	12.70	-	15.24	1	1500	B30-R6000	
BBP33	B33-163-499	25.40	9.53	-	12.70	1	1500	B30-R6000	
BBP33	B33-152-499	25.40	9.53	27.94	12.07	2	1500	B30-R6000	
BBP33	B33-621-499	25.40	36.50	28.40	39.50	3	3000	B30-R6000	
BBP33	B33-625-499	25.40	66.68	28.40	69.68	3	1500	B30-R6000	
BBP33	B33-659-499	25.40	12.40	-	15.40	1	1000	B30-R6000	
BBP33	B33-126-499	38.10	12.70	-	15.24	1	1500	B30-R6000	
BBP33	B33-151-499	50.80	6.35	-	-	1	1500	B30-R6000	




B-498 ADHESIVE TERMINAL BLOCK MARKERS

HOLDS STRONG BUT CAN BE REMOVED CLEANLY AND RE-APPLIED.

- Specially designed narrow-width continuous label for alignment on terminal blocks and patch panels
- Highly unique adhesive and cloth construction gives excellent holding power and still allows for clean removal and re-application
- Service temp: -40 °C to 80 °C
- Agency approvals: UL, RoHS




Fits Printer Model(s)	Order Reference	Size - Width A (mm)	Size - Length B (m)	Labels per Row	Labels per Roll	Recommended Ribbon	Diagram
BBP33	B33C-240-498	6.10	25.91	1	1	B30-R6200	
BBP33	B33C-312-498	7.92	25.91	1	1	B30-R6200	
BBP33	B33C-375-498	9.53	41.15	1	1	B30-R6200	



B-7642 PERMASLEEVE® HX POLYOLEFIN WIRE MARKING SLEEVES

MILITARY/INDUSTRIAL GRADE. 2:1 SHRINK RATIO

- A 2:1 heat shrinkable wire marker sleeve that fits snugly around wires
- Flame-retardant and high-temp rated but not as high temp as B-345 “HT” Sleeves
- Meets the industry specifications listed below
- Service temp:-40 °C to 120°C - short burst max temp.: 5 min at 240°C; 24 hours at 160 °C
- Agency approvals: UL 224, RoHS, SAE-AMS-DTL-23053/5 (class 1 and 3), SAE-AS-81531, MIL-STD-202 method 215K, Tested per ASTM E162, ASTM E662



Fits Printer Model(s)	Order Reference	Colour	Size - Width A (mm)	Size - Height B (mm)	For Wire Gauge	Min. Wire Diam	Max. Wire Diameter	Labels per Row	Labels per Roll	Recommended Ribbon	Diagram
Single-sided Printable											
BBP33	B33-94-2-7642	White	50.80	4.52	24 to 20	1.20 mm	2.00 mm	1	500	B30-R4300	
BBP33	B33-125-2-7642	White	50.80	5.59	20 to 16	1.60 mm	2.80 mm	1	500	B30-R4300	
BBP33	B33-187-2-7642	White	50.80	7.90	16 to 10	2.40 mm	3.80 mm	1	500	B30-R4300	
BBP33	B33-250-2-7642	White	50.80	10.49	12 to 8	3.20 mm	5.50 mm	1	500	B30-R4300	
BBP33	B33-375-2-7642	White	50.80	14.71	8 to 4	4.80 mm	8.10 mm	1	250	B30-R4300	
BBP33	B33-500-2-7642	White	50.80	19.89	6 to 1	6.40 mm	11.40 mm	1	250	B30-R4300	
BBP33	B33-750-2-7642	White	50.80	29.69	2 to 4/0	9.50 mm	17.80 mm	1	150	B30-R4300	
BBP33	B33-1000-2-7642	White	50.80	39.19	2/0 to 0.950 dia	11.40 mm	24.10 mm	1	150	B30-R4300	
BBP33	B33-1500-2-7642	White	50.80	59.49		19.00 mm	35.60 mm	1	50	B30-R4300	
BBP33	B33-2000-2-7642	White	50.80	79.20		25.40 mm	48.30 mm	1	50	B30-R4300	
Double-sided Printable											
BBP33	B33D-94-2-7642	White	50.80	4.52	24 to 20	1.20 mm	2.00 mm	1	500	B30-R4300	
BBP33	B33D-125-2-7642	White	50.80	5.59	20 to 16	1.60 mm	2.80 mm	1	500	B30-R4300	
BBP33	B33D-187-2-7642	White	50.80	7.90	16 to 10	2.40 mm	3.80 mm	1	500	B30-R4300	
BBP33	B33D-250-2-7642	White	50.80	10.49	12 to 8	3.20 mm	5.50 mm	1	500	B30-R4300	
BBP33	B33D-375-2-7642	White	50.80	14.71	8 to 4	4.80 mm	8.10 mm	1	250	B30-R4300	
BBP33	B33D-500-2-7642	White	50.80	19.89	6 to 1	6.40 mm	11.40 mm	1	250	B30-R4300	
BBP33	B33D-750-2-7642	White	50.80	29.69	2 to 4/0	9.50 mm	17.80 mm	1	150	B30-R4300	
BBP33	B33D-1000-2-7642	White	50.80	39.19	2/0 to 0.950 dia	11.40 mm	24.10 mm	1	150	B30-R4300	
BBP33	B33D-1500-2-7642	White	50.80	59.49		19.00 mm	35.60 mm	1	50	B30-R4300	
BBP33	B33D-2000-2-7642	White	50.80	79.20		25.40 mm	48.30 mm	1	50	B30-R4300	




B-342 PERMASLEEVE® PS POLYOLEFIN WIRE MARKING SLEEVES

STANDARD MILITARY/INDUSTRIAL GRADE. 3:1 SHRINK RATIO



- A 3:1 heat shrinkable wire marker sleeve that fits snugly around wires
- Can be used for identification or wire protection
- Fade-resistant and flame-retardant
- Service temp: -70 °C to 130°C - short burst max temp : 5 min at 260°C; 24 hours at 180 °C
- Meets the insulating and physical property listed under Agency Approvals: UL 224, RoHS, SAE-AMS-DTL-23053/5C (class 1), SAE-AS-81531, MIL-STD-202, Tested per ASTM E162, ASTM E662




Fits Printer Model(s)	Order Reference	Colour	Size - Width A (mm)	Size - Height B (mm)	For Wire Gauge	Min. Wire Diam	Max. Wire Diameter	Labels per Row	Labels per Roll	Recommended Ribbon	Diagram
Double-sided Printable											
BBP33	B33D-94-2-342BK	Black	50.80	4.29	28 to 20	0.60 mm	2.00 mm	1	1000	B30-R4500-SV	V
BBP33	B33D-94-2-342	White	50.80	4.29	28 to 20	0.60 mm	2.00 mm	1	1000	B30-R4300	V
BBP33	B33D-94-2-342YL	Yellow	50.80	4.29	28 to 20	0.60 mm	2.00 mm	1	1000	B30-R4300	V
BBP33	B33D-125-2-342BK	Black	50.80	5.49	22 to 16	1.20 mm	2.80 mm	1	1000	B30-R4500-SV	V
BBP33	B33D-125-2-342	White	50.80	5.49	22 to 16	1.20 mm	2.80 mm	1	1000	B30-R4300	V
BBP33	B33D-125-2-342YL	Yellow	50.80	5.49	22 to 16	1.20 mm	2.80 mm	1	1000	B30-R4300	V
BBP33	B33D-187-2-342BK	Black	50.80	7.95	20 to 10	1.60 mm	3.80 mm	1	1000	B30-R4500-SV	V
BBP33	B33D-187-2-342	White	50.80	7.95	20 to 10	1.60 mm	3.80 mm	1	1000	B30-R4300	V
BBP33	B33D-187-2-342YL	Yellow	50.80	7.95	20 to 10	1.60 mm	3.80 mm	1	1000	B30-R4300	V
BBP33	B33D-250-2-342BK	Black	50.80	10.54	16 to 8	2.40 mm	5.50 mm	1	500	B30-R4500-SV	V
BBP33	B33D-250-2-342	White	50.80	10.54	16 to 8	2.40 mm	5.50 mm	1	500	B30-R4300	V
BBP33	B33D-250-2-342YL	Yellow	50.80	10.54	16 to 8	2.40 mm	5.50 mm	1	500	B30-R4300	V
BBP33	B33D-375-2-342BK	Black	50.80	15.42	12 to 4	3.20 mm	8.10 mm	1	250	B30-R4500-SV	V
BBP33	B33D-375-2-342	White	50.80	15.42	12 to 4	3.20 mm	8.10 mm	1	250	B30-R4300	V
BBP33	B33D-375-2-342YL	Yellow	50.80	15.42	12 to 4	3.20 mm	8.10 mm	1	250	B30-R4300	V
BBP33	B33D-500-2-342BK	Black	50.80	20.32	8 to 1	4.80 mm	11.40 mm	1	250	B30-R4500-SV	V
BBP33	B33D-500-2-342	White	50.80	20.32	8 to 1	4.80 mm	11.40 mm	1	250	B30-R4300	V
BBP33	B33D-500-2-342YL	Yellow	50.80	20.32	8 to 1	4.80 mm	11.40 mm	1	250	B30-R4300	V
BBP33	B33D-750-2-342BK	Black	50.80	30.51	6 to 4/0	6.40 mm	17.80 mm	1	100	B30-R4500-SV	V
BBP33	B33D-750-2-342	White	50.80	30.51	6 to 4/0	6.40 mm	17.80 mm	1	100	B30-R4300	V
BBP33	B33D-750-2-342YL	Yellow	50.80	30.51	6 to 4/0	6.40 mm	17.80 mm	1	100	B30-R4300	V
BBP33	B33D-1000-2-342BK	Black	50.80	40.64	2 to 0.950 dia	8.50 mm	24.10 mm	1	100	B30-R4500-SV	V
BBP33	B33D-1000-2-342	White	50.80	40.64	2 to 0.950 dia	8.50 mm	24.10 mm	1	100	B30-R4300	V
BBP33	B33D-1000-2-342YL	Yellow	50.80	40.64	2 to 0.950 dia	8.50 mm	24.10 mm	1	100	B30-R4300	V
BBP33	B33D-1500-2-342BK	Black	50.80	61.80		12.70 mm	35.60 mm	1	100	B30-R4500-SV	V
BBP33	B33D-1500-2-342	White	50.80	61.80		12.70 mm	35.60 mm	1	100	B30-R4300	V
BBP33	B33D-1500-2-342YL	Yellow	50.80	61.80		12.70 mm	35.60 mm	1	100	B30-R4300	V
Single-sided Printable											
BBP33	B33-94-2-342	White	50.80	4.29	28 to 20	0.60 mm	2.00 mm	1	1000	B30-R4300	V
BBP33	B33-94-2-342YL	Yellow	50.80	4.29	28 to 20	0.60 mm	2.00 mm	1	1000	B30-R4300	V
BBP33	B33-125-2-342	White	50.80	5.49	22 to 16	1.20 mm	2.80 mm	1	1000	B30-R4300	V
BBP33	B33-125-2-342YL	Yellow	50.80	5.49	22 to 16	1.20 mm	2.80 mm	1	1000	B30-R4300	V
BBP33	B33-187-2-342-2	White	50.80	7.95	20 to 10	1.60 mm	3.80 mm	2	2000	B30-R4300	V
BBP33	B33-187-2-342	White	50.80	7.95	20 to 10	1.60 mm	3.80 mm	1	1000	B30-R4300	V
BBP33	B33-187-2-342YL	Yellow	50.80	7.95	20 to 10	1.60 mm	3.80 mm	1	1000	B30-R4300	V
BBP33	B33-250-2-342-2	White	50.80	10.54	16 to 8	2.40 mm	5.50 mm	2	1000	B30-R4300	V
BBP33	B33-250-2-342	White	50.80	10.54	16 to 8	2.40 mm	5.50 mm	1	500	B30-R4300	V
BBP33	B33-250-2-342YL	Yellow	50.80	10.54	16 to 8	2.40 mm	5.50 mm	1	500	B30-R4300	V
BBP33	B33-375-2-342-2	White	50.80	15.42	12 to 4	3.20 mm	8.10 mm	2	500	B30-R4300	V
BBP33	B33-375-2-342	White	50.80	15.42	12 to 4	3.20 mm	8.10 mm	1	250	B30-R4300	V
BBP33	B33-375-2-342YL	Yellow	50.80	15.42	12 to 4	3.20 mm	8.10 mm	1	250	B30-R4300	V
BBP33	B33-500-2-342	White	50.80	20.32	8 to 1	4.80 mm	11.40 mm	1	250	B30-R4300	V
BBP33	B33-500-2-342YL	Yellow	50.80	20.32	8 to 1	4.80 mm	11.40 mm	1	250	B30-R4300	V
BBP33	B33-750-2-342	White	50.80	30.51	6 to 4/0	6.40 mm	17.80 mm	1	100	B30-R4300	V
BBP33	B33-750-2-342YL	Yellow	50.80	30.51	6 to 4/0	6.40 mm	17.80 mm	1	100	B30-R4300	V
BBP33	B33-1000-2-342	White	50.80	40.64	2 to 0.950 dia	8.50 mm	24.10 mm	1	100	B30-R4300	V
BBP33	B33-1000-2-342YL	Yellow	50.80	40.64	2 to 0.950 dia	8.50 mm	24.10 mm	1	100	B30-R4300	V
BBP33	B33-1500-2-342BK	Black	50.80	61.80		12.70 mm	35.60 mm	1	100	B30-R4500-SV	V
BBP33	B33-1500-2-342	White	50.80	61.80		12.70 mm	35.60 mm	1	100	B30-R4300	V
BBP33	B33-1500-2-342YL	Yellow	50.80	61.80		12.70 mm	35.60 mm	1	100	B30-R4300	V

B-345 PERMASLEEVE® HT HIGH TEMPERATURE PVDF WIRE MARKING SLEEVES

HIGH TEMPERATURE, LOW OUTGASSING. 2:1 SHRINK RATIO

- A 2:1 shrink ratio wire marker sleeve specifically designed for high temperature and low vacuum outgassing applications
- Made from irradiated high-temp Polyvinylidene Fluoride (PVDF) heat shrink tubing
- Fade-resistant and flame-retardant
- Meets the industry specifications listed below
- Service temp: -55 °C to 225 °C
- Agency approvals: NASA SP-R-0022A Outgassing Performance, Tested per ASTM E162, ASTM E662, SAE-AMS-DTL-23053/18 (class 2), SAE-AS-81531, MIL-STD-202



Fits Printer Model(s)	Order Reference	Colour	Size - Width A (mm)	Size - Height B (mm)	For Wire Gauge	Min. Wire Diam	Max. Wire Diameter	Labels per Row	Labels per Roll	Recommended Ribbon	Diagram
Double-sided Printable											
BBP33	B33D-94-2-345BK	Black	50.80	4.62	26 to 20	0.80 mm	2.00 mm	1	250	B30-R4500-SV	V
BBP33	B33D-94-2-345	White	50.80	4.62	26 to 20*	0.80 mm	2.00 mm	1	250	B30-R6000	V
BBP33	B33D-125-2-345BK	Black	50.80	5.97	20 to 16	1.60 mm	2.80 mm	1	250	B30-R4500-SV	V
BBP33	B33D-125-2-345	White	50.80	5.97	20 to 16	1.60 mm	2.80 mm	1	250	B30-R6000	V
BBP33	B33D-187-2-345BK	Black	50.80	8.51	16 to 10	2.40 mm	3.80 mm	1	250	B30-R4500-SV	V
BBP33	B33D-187-2-345	White	50.80	8.51	16 to 10	2.40 mm	3.80 mm	1	250	B30-R6000	V
BBP33	B33D-250-2-345BK	Black	50.80	11.15	12 to 8	3.20 mm	5.50 mm	1	250	B30-R4500-SV	V
BBP33	B33D-250-2-345	White	50.80	11.15	12 to 8	3.20 mm	5.50 mm	1	250	B30-R6000	V
BBP33	B33D-375-2-345BK	Black	50.80	16.38	8 to 4	3.20 mm	8.10 mm	1	100	B30-R4500-SV	V
BBP33	B33D-375-2-345	White	50.80	16.38	8 to 4	3.20 mm	8.10 mm	1	100	B30-R6000	V
BBP33	B33D-500-2-345BK	Black	50.80	21.62	6 to 1	6.40 mm	11.40 mm	1	100	B30-R4500-SV	V
BBP33	B33D-500-2-345	White	50.80	21.62	6 to 1	6.40 mm	11.40 mm	1	100	B30-R6000	V
BBP33	B33D-750-2-345BK	Black	50.80	31.75	3 to 4/0	9.50 mm	17.80 mm	1	50	B30-R4500-SV	V
BBP33	B33D-750-2-345	White	50.80	31.75	2 to 4/0	9.50 mm	17.80 mm	1	50	B30-R6000	V
BBP33	B33D-1000-2-345BK	Black	50.80	42.16	2/0 to 0.950 dia	11.40 mm	24.10 mm	1	50	B30-R4500-SV	V
BBP33	B33D-1000-2-345	White	50.80	42.16	2/0 to 0.950 dia	11.40 mm	24.10 mm	1	50	B30-R6000	V
BBP33	B33D-1500-2-345BK	Black	50.80	61.80		19.10 mm	35.60 mm	1	50	B30-R4500-SV	V
BBP33	B33D-1500-2-345	White	50.80	61.80		19.10 mm	35.60 mm	1	50	B30-R6000	V

* This size is only 3:1 shrink ratio

Product & General Purpose Identification




POLYESTER LABELS

FOR GENERAL PURPOSE INDUSTRIAL ID APPLICATIONS

- Widely used for PC board component ID, bin and shelf labels, barcoding and asset tracking
- 3 levels of adhesive strength
- B-423, B-483, B-489 Service temp: -40 °C to 120 °C
- B-430, B-432 Service temp: -70 °C to 110 °C
- All materials have the following approvals: UL, CSA, RoHS

Fits Printer Model(s)	Order Reference	Brady Material No.	Colour	Size - Width A (mm)	Size - Height B (mm)	Horizontal Repeat C (mm)	Vertical Repeat D (mm)	Labels per Row	Labels per Roll	Recommended Ribbon	Diagram
For highly textured, low surface energy											
BBP33	B33-5-483	B-483	White	25.40	12.70	27.30	15.20	3	5000	B30-R6000	⬢
BBP33	B33-5-489	B-489	White	25.40	12.70	27.30	15.20	3	5000	B30-R4300	⬢
BBP33	B33-17-483	B-483	White	50.80	25.40	-	28.60	1	1500	B30-R6000	▲
BBP33	B33-17-489	B-489	White	50.80	25.40	-	28.60	1	1500	B30-R4300	▲
BBP33	B33-19-483	B-483	White	76.20	50.80	-	54.00	1	500	B30-R6000	▲
BBP33	B33-18-483	B-483	White	76.20	25.40	-	28.60	1	1500	B30-R6000	▲
BBP33	B33-19-489	B-489	White	76.20	50.80	-	54.00	1	500	B30-R4300	▲
BBP33	B33-18-489	B-489	White	76.20	25.40	-	28.60	1	1500	B30-R4300	▲
For smooth surfaces											
BBP33	B33-12-8423	B-8423	White	12.70	11.10	12.70	14.13	7	2500	B30-R6000	⬢
BBP33	B33-101-8423	B-8423	White	19.05	6.35	19.05	9.40	5	2500	B30-R6000	⬢
BBP33	B33-G2-8423YL	B-8423	Yellow	20.00	8.00	23.00	15.00	4	5000	B30-R6000	⬢
BBP33	B33-5-423	B-423	White	25.40	12.70	27.30	15.20	3	5000	B30-R6000	⬢
BBP33	B33-13-8423	B-8423	White	31.75	6.35	34.75	9.35	3	2500	B30-R6000	⬢
BBP33	B33-104-8423	B-8423	White	38.10	6.35	50.45	9.33	2	2500	B30-R6000	⬢
BBP33	B33-6-8423	B-8423	White	38.10	19.05	50.10	22.05	2	2500	B30-R6000	⬢
BBP33	B33-17-423	B-423	White	50.80	25.40	-	28.60	1	1500	B30-R6000	▲
BBP33	B33-17-430	B-430	Transparent	50.80	25.40	-	28.60	1	1500	B30-R6000	▲
BBP33	B33-18-423	B-423	White	76.20	25.40	-	28.60	1	1500	B30-R6000	▲
BBP33	B33-18-430	B-430	Transparent	76.20	25.40	-	28.60	1	1500	B30-R6000	▲
For textured/rough surfaces											
BBP33	B33-17-432	B-432	Transparent	50.80	25.40	-	28.60	1	5000	B30-R6000	▲
BBP33	B33-18-432	B-432	Transparent	76.20	25.40	-	28.60	1	1500	B30-R6000	▲
BBP33	B33-19-432	B-432	Transparent	76.20	50.80	-	54.00	1	500	B30-R6000	▲




METALLISED POLYESTER LABELS

FOR PRODUCT LABELLING, ASSET TRACKING AND GENERAL INDUSTRIAL ID.

- Silver metallic label withstands solvents and variable temperatures
- Ideal for serial number plates and rating plates with nameplate quality and metal looking finish

- B-428: Service temp: -40 °C to 120 °C
 - B-434: Service temp: -40 °C to 90 °C
 - B-438: Service temp: -40 °C to 40 °C
 - B-486: Service temp: -40 °C to 120 °C
 - B-565: Service temp: -40 °C to 110 °C
 - B-7563: Service temp: -40 °C to 135 °C
- Agency Approvals: UL, CSA, RoHS

Fits Printer Model(s)	Order Reference	Brady Material No.	Colour	Size - Width A (mm)	Size - Height B (mm)	Size - Length B (m)	Horizontal Repeat C (mm)	Vertical Repeat D (mm)	Labels per Row	Labels per Roll	Recommended Ribbon	Diagram
For highly textured, low surface energy												
BBP33	B33-5-486	B-486	Silver	25.40	12.70	-	27.30	15.20	3	5000	B30-R4300	⬢
BBP33	B33-17-486	B-486	Silver	50.80	25.40	-	-	28.60	1	1500	B30-R4300	▲
BBP33	B33-19-486	B-486	Silver	76.20	50.80	-	-	54.00	1	500	B30-R4300	▲
BBP33	B33-18-486	B-486	Silver	76.20	25.40	-	-	28.60	1	1500	B30-R4300	▲
For smooth surfaces												
BBP33	B33-616-428	B-428	Silver	22.86	19.05	-	25.86	22.05	3	3000	B30-R4300	⬢
BBP33	B33-5-428	B-428	Silver	25.40	12.70	-	27.30	15.20	3	5000	B30-R4300	⬢
BBP31; BBP33	B30C-1125-565-SL	B-565	Silver	29.00	-	30.40	-	-	1	1	B30-R10000	⊙
BBP33	B33-6-7563	B-7563	Silver	38.10	19.05	-	50.10	22.05	2	2500	B30-R6000	⬢
BBP31; BBP33	B30-135-7563	B-7563	Silver	38.10	19.05	-	50.80	22.22	2	3154	B30-R6000	⬢
BBP31; BBP33	B30-17-7563	B-7563	Silver	50.80	25.40	-	-	28.57	1	1226	B30-R6000	▲
BBP33	B33-17-428	B-428	Silver	50.80	25.40	-	-	28.60	1	1500	B30-R4300	▲
BBP31; BBP33	B30C-2250-565-SL	B-565	Silver	57.00	-	30.40	-	-	1	1	B30-R10000	⊙
BBP31; BBP33	B30-222-7563	B-7563	Silver	76.20	50.80	-	-	57.15	1	649	B30-R6000	▲
BBP33	B33-18-428	B-428	Silver	76.20	25.40	-	-	28.60	1	1500	B30-R4300	▲
BBP31; BBP33	B30C-4000-565-SL	B-565	Silver	101.00	-	30.40	-	-	1	1	B30-R10000	⊙
For textured/rough surfaces												
BBP33	B33-5-434	B-434	Silver	25.40	12.70	-	27.30	15.20	3	5000	B30-R6000	⬢
BBP33	B33-17-434	B-434	Silver	50.80	25.40	-	-	28.60	1	1500	B30-R6000	▲
BBP33	B33-18-434	B-434	Silver	76.20	25.40	-	-	28.60	1	1500	B30-R6000	▲
BBP33	B33-19-434	B-434	Silver	76.20	50.80	-	-	54.00	1	500	B30-R6000	▲




>>

METALLISED POLYESTER LABELS (CONTINUED)

FOR PRODUCT LABELLING, ASSET TRACKING AND GENERAL INDUSTRIAL ID.



Fits Printer Model(s)	Order Reference	Brady Material No.	Colour	Size - Width A (mm)	Size - Height B (mm)	Size - Length B (m)	Horizontal Repeat C (mm)	Vertical Repeat D (mm)	Labels per Row	Labels per Roll	Recommended Ribbon	Diagram
Leaves a CHECKERBOARD footprint when the label is removed to prevent reuse												
BBP31; BBP33	B30-17-438	B-438	Silver	50.80	25.40	-	-	28.60	1	1225	B30-R4300	▲
BBP31; BBP33	B30C-3000-438	B-438	Silver	75.00	-	30.40	-	-	1	1	B30-R4300	⊙
BBP31; BBP33	B30-18-438	B-438	Silver	76.20	25.40	-	-	31.75	1	1225	B30-R4300	▲
BBP31; BBP33	B30-222-438	B-438	Silver	76.20	50.80	-	-	57.15	1	650	B30-R4300	▲




B-424 PAPER LABELS

ECONOMICAL CHOICE FOR LIGHT DUTY GENERAL ID.

- White finish and matt topcoat
- Excellent contrast and smear resistance for barcode printing
- Service temp: -40 °C to 50 °C



Fits Printer Model(s)	Order Reference	Colour	Size - Width A (mm)	Size - Height B (mm)	Vertical Repeat D (mm)	Labels per Row	Labels per Roll	Recommended Ribbon	Diagram
B-424									
BBP33	B33-17-424	White	50.80	25.40	28.60	1	1500	B30-R4300	▲
BBP33	B33-18-424	White	76.20	25.40	28.60	1	1500	B30-R4300	▲
BBP33	B33-19-424	White	76.20	50.80	54.00	1	500	B30-R4300	▲
BBP33	B33-25-424	White	152.40	101.60	155.60	1	350	B30-R4300	▲





B-425 POLYPROPYLENE LABELS

GENERAL LABELLING MATERIAL FOR INDOOR USE.

- Outstanding chemical and solvent resistance and print performance
- Not recommended for prolonged outdoor use (use B-595 indoor/outdoor vinyl for 8-10 year outdoor use)
- Service temp: -70 °C to 80 °C
- Agency Approvals: UL, cUL, CSA, RoHs



Fits Printer Model(s)	Order Reference	Colour	Size - Width A (mm)	Size - Height B (mm)	Horizontal Repeat C (mm)	Vertical Repeat D (mm)	Labels per Row	Labels per Roll	Recommended Ribbon	Diagram
B-425										
BBP33	B33-5-425	White	25.40	12.70	27.30	15.20	3	5000	B30-R4300	⬢
BBP33	B33-17-425	White	50.80	25.40	-	28.60	1	1500	B30-R4300	▲
BBP33	B33-18-425	White	76.20	25.40	-	28.60	1	1500	B30-R4300	▲
BBP33	B33-19-425	White	76.20	50.80	-	54.00	1	500	B30-R4300	▲



Product & General Purpose Identification


B-595 OUTDOOR GRADE VINYL LABELS

FOR 8-10 YEAR OUTDOOR USE

- Semi-gloss finish
- Good chemical, moisture, UV and weather resistance
- Highly pliable material conforms to rough and curved surfaces and equipment
- Average outdoor durability of the label is 8-10 years depending on the placement
- Service temp: -40 °C to 82 °C




Fits Printer Model(s)	Order Reference	Colour	Size - Width A (mm)	Size - Height B (mm)	Vertical Repeat D (mm)	Labels per Row	Labels per Roll	Recommended Ribbon	Diagram
B-595									
BBP31;BBP33	B30-242-595-BLNKWT	White	29.00	72.00	82.60	1	300	B30-R10000 (black or colours)	▲
BBP31;BBP33	B30-241-595-BLNKWT	White	57.00	75.00	82.60	1	300	B30-R10000 (black or colours)	▲
BBP31;BBP33	B30-241-595-BLNKYL	Yellow	57.00	75.00	82.60	1	300	B30-R10000 (black or colours)	▲
BBP31;BBP33	B30-219-595-BLNKWT	White	57.00	98.00	108.00	1	250	B30-R10000 (black or colours)	▲
BBP31;BBP33	B30-25-595-BLNKWT	White	101.00	152.00	158.80	1	175	B30-R10000 (black or colours)	▲
BBP31;BBP33	B30-25-595-BLNKYL	Yellow	101.00	152.00	158.80	1	175	B30-R10000 (black or colours)	▲



Average expected outdoor life of product will depend on user definition of failure, climatic conditions, mounting techniques and material colour. The up to 8 to 10 year outdoor durability applies to the vinyl label stock only; ribbon durability will vary. A polyester overlaminate is recommended for harsh environments - long term exposure to wind and rain.

PC Board Identification





B-426 AND B-457 STANDARD POLYIMIDE LABELS


FOR CIRCUIT BOARD LABELS AND HIGH-TEMPERATURE GENERAL ID APPLICATIONS

- Withstands the various processes, fluxes and cleaning solvents encountered in the manufacture of printed circuit boards
- For use on top bottom-side component ID or board ID
- 2 temperature levels to meet your needs
- B-426: Service temp: -70 °C to 330 °C
- B-457: Service temp: -70 °C to 300 °C



Fits Printer Model(s)	Order Reference	Colour	Size - Width A (mm)	Size - Height B (mm)	Horizontal Repeat C (mm)	Vertical Repeat D (mm)	Labels per Row	Labels per Roll	Recommended Ribbon	Diagram
B-426										
BBP33	B33-14-426	Amber	16.51	5.08	17.80	7.60	4	5000	B30-R4300	●
BBP33	B33-101-426	Amber	19.05	6.35	19.05	9.35	5	2500	B30-R4300	●
BBP33	B33-2-426	Amber	22.86	6.35	28.60	8.90	3	5000	B30-R4300	●
BBP33	B33-4-426	Amber	38.10	6.35	-	8.90	2	5000	B30-R4300	●
BBP33	B33-104-426	Amber	38.10	6.35	50.45	9.33	2	2500	B30-R4300	●
B-457										
BBP33	B33-11-457	White	6.35	6.35	6.40	9.50	12	5000	B30-R6000	●
BBP33	B33-14-457	White	16.51	5.08	17.80	7.60	4	5000	B30-R6000	●
BBP33	B33-1-457	White	19.05	6.35	20.30	8.90	4	5000	B30-R6000	●
BBP33	B33-46-457	White	19.05	6.35	-	8.90	1	5000	B30-R6000	▲
BBP33	B33-49-457	White	22.86	6.35	-	8.90	1	5000	B30-R6000	▲
BBP33	B33-58-457	White	25.40	9.53	-	12.10	1	5000	B30-R6000	▲
BBP33	B33-59-457	White	25.40	12.70	-	15.20	1	2500	B30-R6000	▲
BBP33	B33-103-457	White	25.40	6.35	-	8.90	1	5000	B30-R6000	▲
BBP33	B33-43-457	White	31.75	6.35	-	8.90	1	5000	B30-R6000	▲
BBP33	B33-44-457	White	34.93	6.35	-	8.90	1	5000	B30-R6000	▲
BBP33	B33-45-457	White	38.10	6.35	-	8.90	1	5000	B30-R6000	▲






B-477, B-478 AND B-479 STATIC DISSIPATIVE POLYIMIDE LABELS

FOR PRINTED CIRCUIT BOARD ID AND ELECTRONIC COMPONENT ID

- Static dissipative adhesive and release liner with surface resistivity values
- Complies with EIA-541 Packaging Material Standards for ESD sensitive items
- Withstands the various processes, fluxes and cleaning solvents encountered in the manufacture of PC Boards
- For use on top or bottom-sided component ID or board ID

- B-477: Service temp: -70 °C to 100°C - short burst max temp : 80 sec at 300°C, 5 min at 260°C, 2 hrs at 170 °C
- B-478: Service temp: -70 °C to 100°C - short burst max temp : 80 sec at 300°C, 5 min at 260°C, 2 hrs at 170 °C
- B-479: Service temp: -70 °C to 100°C - short burst max temp : 80 sec at 300°C, 5 min at 260°C, 2 hrs at 170 °C


Fits Printer Model(s)	Order Reference	Colour	Finish	Size - Width A (mm)	Size - Height B (mm)	Horizontal Repeat C (mm)	Vertical Repeat D (mm)	Labels per Row	Labels per Roll	Recommended Ribbon	Diagram
B-477											
BBP33	B33-14-477	White	Gloss	16.51	5.08	17.80	7.60	4	5000	B30-R6000	⬢
BBP33	B33-43-477	White	Gloss	31.75	6.35	-	8.90	1	5000	B30-R6000	⬢
B-478											
BBP33	B33-14-478	White	Gloss	16.51	5.08	17.80	7.60	4	5000	B30-R6000	⬢
BBP33	B33-43-478	White	Gloss	31.75	6.35	-	8.90	1	5000	B30-R6000	⬢
B-479											
BBP33	B33-42-479	White	Matt	25.40	4.75	-	7.30	1	5000	B30-R6000	⬢
BBP33	B33-43-479	White	Matt	31.75	6.35	-	8.90	1	5000	B30-R6000	⬢




B-8423 POLYESTER LABELS

FOR CIRCUIT BOARD AND COMPONENT IDENTIFICATION

- Top and bottom-side component ID
- Service temp: -70 °C to 110 °C




Fits Printer Model(s)	Order Reference	Colour	Size - Width A (mm)	Size - Height B (mm)	Horizontal Repeat C (mm)	Vertical Repeat D (mm)	Labels per Row	Labels per Roll	Recommended Ribbon	Diagram
B-8423										
BBP33	B33-12-8423	White	12.70	11.10	12.70	14.13	7	2500	B30-R6000	⬢
BBP33	B33-101-8423	White	19.05	6.35	19.05	9.40	5	2500	B30-R6000	⬢
BBP33	B33-G2-8423YL	Yellow	20.00	8.00	23.00	15.00	4	5000	B30-R6000	⬢
BBP33	B33-13-8423	White	31.75	6.35	34.75	9.35	3	2500	B30-R6000	⬢
BBP33	B33-104-8423	White	38.10	6.35	50.45	9.33	2	2500	B30-R6000	⬢



B-461, B-490 & B-492 VIAL & TUBE LABELS

ALWAYS HAVE CLEAR, LEGIBLE SPECIMEN SAMPLES


- Labels are designed to withstand extreme laboratory environments
- Resistant laboratory solvents like Xylene, ethanol, alcohol and DMSO
- Identification is always legible – and will not smear, fade or fall off.



Special Properties	Fits Printer Model(s)	Order Reference	Colour	Size - Width A (mm)	Size - Height B (mm)	Printable Area Width PW (mm)	Printable Area Height PH (mm)	Size - Diam C (mm)	Horizontal Repeat C (mm)	Vertical Repeat D (mm)	Labels per Row	Labels per Roll	Recommended Ribbon	Diagram
F N A H	BBP33	B33-68-490	White	12.70	19.05	-	-	-	15.24	22.22	4	2500	B30-R4300	●
F N A H	BBP33	B33-127-461	White/Transparent	12.70	55.88	12.70	19.05	-	15.24	61.60	3	1500	B30-R4300	●
F N A H	BBP33	B33-133-461	White/Transparent	15.24	41.28	15.24	25.40	-	17.78	46.99	3	1500	B30-R4300	●
F N A H	BBP33	B33-612-461	White/Transparent	15.24	66.68	15.24	25.40	-	18.24	73.66	3	1500	B30-R4300	●
F N A H	BBP33	B33-125-490	White	22.86	12.70	-	-	-	-	-	1	1650	B30-R4300	▲
F N A H	BBP33	B33-126-490	White	22.86	12.70	-	-	12.70	-	-	1	2500	B30-R4300	◆
F N	BBP33	B33-180-492	White	22.86	25.40	-	-	-	-	-	1	1500	B30-R6400	▲
F N	BBP33	B33-152-492	White	25.40	9.53	-	-	27.94	12.06	-	2	2500	B30-R6400	●
F N	BBP33	B33-163-492	White	25.40	9.53	-	-	9.53	-	-	1	1500	B30-R6400	◆
F N A H	BBP33	B33-139-491	White/Transparent	25.40	133.35	25.40	38.10	-	27.94	136.52	2	650	B30-R4300	●
F N	BBP33	B33-59-492	White	25.40	12.70	-	-	-	-	-	1	5000	B30-R6400	▲
F N	BBP33	B33-179-492	White	25.40	25.40	-	-	-	-	-	1	2250	B30-R6400	▲
F N	BBP33	B33-182-492	White	25.40	12.70	-	-	11.18	-	15.24	1	1500	B30-R6400	◆
F N A H	BBP33	B33-628-461	White/Transparent	38.10	15.24	33.03	15.24	-	41.27	22.38	2	2500	B30-R4300	●
F N A H	BBP33	B33-155-490	White	41.28	15.24	-	-	-	-	-	1	1500	B30-R4300	▲
F N A H	BBP33	B33-608-461	White/Transparent	41.28	15.24	30.00	15.24	12.70	-	22.22	1	1000	B30-R4300	◆
F N A H	BBP33	B33-632-461	White/Transparent	45.72	34.93	40.00	34.93	-	-	-	1	2000	B30-R4300	■
F N A H	BBP33	B33-156-490	White	48.26	25.40	-	-	-	-	-	1	1500	B30-R4300	▲
F N	BBP33	B33-156-492	White	48.26	25.40	-	-	-	-	-	1	1500	B30-R6400	▲
F N A H	BBP33	B33-638-461	White/Transparent	48.26	15.24	40.00	15.24	-	-	-	1	2000	B30-R4300	■
F N A H	BBP33	B33-151-490	White	50.80	6.35	-	-	-	-	8.89	1	2500	B30-R4300	▲
F N A H	BBP33	B33-153-461	White/Transparent	66.68	15.24	25.40	15.24	-	-	-	1	1500	B30-R4300	■
F N A H	BBP33	B33-131-461	White/Transparent	66.68	25.40	25.40	25.40	-	-	-	1	1500	B30-R4300	■
F N A H	BBP33	B33-134-461	White/Transparent	88.90	38.10	31.75	38.10	-	-	-	1	1000	B30-R4300	■

B-461, B-490 & B-492 VIAL TOP LABELS

IDENTIFY THE TOPS OF YOUR TUBES WITH THESE CIRCULAR LABELS, OR USED THE COMBINED VIAL AND VIAL TOP LABELS



Special Properties	Fits Printer Model(s)	Order Reference	Colour	Size - Width A (mm)	Size - Height B (mm)	Printable Area Width PW (mm)	Printable Area Height PH (mm)	Size - Diam C (mm)	Horizontal Repeat C (mm)	Vertical Repeat D (mm)	Labels per Row	Labels per Roll	Recommended Ribbon	Diagram
F N	BBP33	B33-143-492	White	-	-	-	-	9.53	12.06	12.70	4	1500	B30-R6400	/
F N A H	BBP33	B33-602-461AW	White/Transparent	-	-	-	-	9.53	12.52	16.50	3	3000	B30-R4300	/
F N A H	BBP33	B33-606-461	White/Transparent	25.40	9.53	20.00	9.53	9.53	-	16.53	1	1000	B30-R4300	◆
F N	BBP33	B33-144-492	White	-	-	-	-	12.70	15.24	15.88	3	1500	B30-R6400	/
F N A H	BBP33	B33-144-490	White	-	-	-	-	12.70	15.24	15.88	3	2500	B30-R4300	/
F N A H	BBP33	B33-608-461	White/Transparent	41.28	15.24	30.00	15.24	12.70	-	22.22	1	1000	B30-R4300	◆
F N A	BBP33	B33-604-461AW	White/Transparent	-	-	-	-	15.24	18.24	22.43	3	3000	B30-R4300	/

F Freezer environment N Liquid nitrogen environment A Autoclave environment H Hot water bath (100°C)




B-488 WELL PLATE LABELS

OUR WELL PLATE LABELS GUARANTEE CRYSTAL CLEAR TEXT AND BARCODING FOR MOST LABORATORY ENVIRONMENTS.

- Chemically-resistant polyester made to fit common well plate sizes

Special Properties	Fits Printer Model(s)	Order Reference	Colour	Size - Width A (mm)	Size - Height B (mm)	Horizontal Repeat C (mm)	Vertical Repeat D (mm)	Labels per Row	Labels per Roll	Recommended Ribbon	Diagram
F A	BBP33	B33-616-488	White	22.86	19.05	25.86	22.05	3	3000	B30-R4300	Diagram 1
F A	BBP33	B33-617-488	White	22.86	22.86	25.86	25.86	3	3000	B30-R4300	Diagram 2
F A	BBP33	B33-635-488	White	48.26	6.35	-	11.35	1	2000	B30-R4300	Diagram 3




B-461, B-490 & B-492 CENTRIFUGE, EPPENDORF & PCR TUBE LABELS

STAYS PUT IN HARSH CONDITIONS AND RESIST COMMON LABORATORY CHEMICALS


- Thin construction that prevents jamming in centrifuges and racks
- Long and short tails styles provide window for viewing liquids level in tube

Special Properties	Fits Printer Model(s)	Order Reference	Colour	Size - Width A (mm)	Size - Height B (mm)	Printable Area		Horizontal Repeat C (mm)	Vertical Repeat D (mm)	Labels per Row	Labels per Roll	Recommended Ribbon	Diagram
						Width PW (mm)	Height PH (mm)						
F N A H	BBP33	B33-68-490	White	12.70	19.05	-	-	15.24	22.22	4	2500	B30-R4300	Diagram 1
F N A H	BBP33	B33-127-461	White/Transparent	12.70	55.88	12.70	19.05	15.24	61.60	3	1500	B30-R4300	Diagram 2
F N A H	BBP33	B33-614-461	White/Transparent	22.86	5.08	18.23	5.08	-	12.08	1	2000	B30-R4300	Diagram 3
F N	BBP33	B33-152-492	White	25.40	9.53	-	-	27.94	12.06	2	2500	B30-R6400	Diagram 4
F N	BBP33	B33-59-492	White	25.40	12.70	-	-	-	-	1	5000	B30-R6400	Diagram 5
F N	BBP33	B33-181-492	White	25.40	9.53	-	-	-	-	1	1500	B30-R6400	Diagram 6
F N A H	BBP33	B33-627-461	White/Transparent	27.94	6.35	22.00	6.35	-	11.35	1	1000	B30-R4300	Diagram 7
F N A H	BBP33	B33-154-490	White	31.75	9.53	-	-	-	-	1	1500	B30-R4300	Diagram 8
F N A H	BBP33	B33-155-490	White	41.28	15.24	-	-	-	-	1	1500	B30-R4300	Diagram 9
F N A H	BBP33	B33-123-461	White/Transparent	45.72	9.53	19.05	9.53	-	-	1	1500	B30-R4300	Diagram 10
F N A H	BBP33	B33-122-461	White/Transparent	45.72	12.70	19.05	12.70	-	-	1	1500	B30-R4300	Diagram 11
F N A H	BBP33	B33-153-461	White/Transparent	66.68	15.24	25.40	15.24	-	-	1	1500	B30-R4300	Diagram 12



B-461, B-490 & B-492 CONICAL / LARGE TUBE LABELS

USE THESE LABELS FOR LABELLING LARGER TUBE SIZES, WHILE STILL PROVIDING THE NEEDED TEMPERATURE AND CHEMICAL RESISTANCE PROPERTIES



Special Properties	Fits Printer Model(s)	Order Reference	Colour	Size - Width A (mm)	Size - Height B (mm)	Size - Diam C (mm)	Printable Area Width PW (mm)	Printable Area Height PH (mm)	Horizontal Repeat C (mm)	Vertical Repeat D (mm)	Labels per Row	Labels per Roll	Recommended Ribbon	Diagram
F N A H	BBP33	B33-133-461	White/Transparent	15.24	41.28	-	15.24	25.40	17.78	46.99	3	1500	B30-R4300	Diagram 2
F N A H	BBP33	B33-612-461	White/Transparent	15.24	66.68	-	15.24	25.40	18.24	73.66	3	1500	B30-R4300	Diagram 3
F N	BBP33	B33-152-492	White	25.40	9.53	-	-	27.94	12.06	2	2500	B30-R6400	Diagram 4	
F N A H	BBP33	B33-139-461	White/Transparent	25.40	133.35	-	25.40	38.10	27.94	136.52	2	650	B30-R4300	Diagram 5
F N	BBP33	B33-59-492	White	25.40	12.70	-	-	-	-	-	1	5000	B30-R6400	Diagram 6
F N	BBP33	B33-179-492	White	25.40	25.40	-	-	-	-	-	1	2250	B30-R6400	Diagram 7
F N A H	BBP33	B33-628-461	White/Transparent	38.10	15.24	-	33.03	15.24	41.27	22.38	2	2500	B30-R4300	Diagram 8
F N A H	BBP33	B33-629-461	White/Transparent	38.10	19.05	-	33.02	19.05	40.87	25.78	2	2500	B30-R4300	Diagram 9
F N A H	BBP33	B33-155-490	White	41.28	15.24	-	-	-	-	-	1	1500	B30-R4300	Diagram 10
F N A H	BBP33	B33-608-461	White/Transparent	41.28	15.24	12.70	30.00	15.24	-	22.22	1	1000	B30-R4300	Diagram 11
F N A H	BBP33	B33-632-461	White/Transparent	45.72	34.93	-	40.00	34.93	-	-	1	2000	B30-R4300	Diagram 12
F N A H	BBP33	B33-156-490	White	48.26	25.40	-	-	-	-	-	1	1500	B30-R4300	Diagram 13
F N	BBP33	B33-156-492	White	48.26	25.40	-	-	-	-	-	1	1500	B30-R6400	Diagram 14
F N A H	BBP33	B33-636-461AW	White/Transparent	48.26	25.40	-	-	-	-	37.40	1	2000	B30-R4300	Diagram 15
F N A H	BBP33	B33-638-461	White/Transparent	48.26	15.24	-	40.00	15.24	-	-	1	2000	B30-R4300	Diagram 16
F N A H	BBP33	B33-151-490	White	50.80	6.35	-	-	-	-	8.89	1	2500	B30-R4300	Diagram 17
F N A H	BBP33	B33-642-461AW	White/Transparent	57.15	19.05	-	-	-	-	-	1	2000	B30-R4300	Diagram 18
F N A H	BBP33	B33-131-461	White/Transparent	66.68	25.40	-	25.40	25.40	-	-	1	1500	B30-R4300	Diagram 19
F N A H	BBP33	B33-134-461	White/Transparent	88.90	38.10	-	31.75	38.10	-	-	1	1000	B30-R4300	Diagram 20
F N A H	BBP33	B33-650-461AW	White/Transparent	88.90	38.10	-	-	-	-	-	1	2000	B30-R4300	Diagram 21

* AW = All White / no transparent area

F Freezer environment N Liquid nitrogen environment A Autoclave environment H Hot water bath (100°C)


B-481 & B-488 SLIDE LABELS

DESIGNED TO PROVIDE CRISP AND CLEAR SAMPLE IDENTIFICATION THROUGHOUT THE SAMPLE GENERATION, INSPECTION AND STORAGE PROCESS.

- Resistant to Xylene, Alcohol and DMSO




Special Properties	Fits Printer Model(s)	Order Reference	Colour	Size - Width A (mm)	Size - Height B (mm)	Horizontal Repeat C (mm)	Vertical Repeat D (mm)	Labels per Row	Labels per Roll	Recommended Ribbon	Diagram
F A H	BBP33	B33-164-481	White	22.86	22.86	-	-	1	2500	B30-R6400	▲
F A H	BBP33	B33-194-481	White	22.86	19.05	-	-	1	2500	B30-R6400	▲
F A H	BBP33	B33-207-481	White	22.86	22.86	25.40	25.40	4	2500	B30-R6400	●
F A	BBP33	B33-616-488	White	22.86	19.05	25.86	22.05	3	3000	B30-R4300	●
F A	BBP33	B33-617-488	White	22.86	22.86	25.86	25.86	3	3000	B30-R4300	●
F A	BBP33	B33-635-488	White	48.26	6.35	-	11.35	1	2000	B30-R4300	▲



B-461 STRAW LABELLING

THESE SELF-LAMINATING LABELS PROTECT THE PRINTED INFORMATION FOR LASTING IDENTIFICATION.




Special Properties	Fits Printer Model(s)	Order Reference	Colour	Size - Width A (mm)	Size - Height B (mm)	Printable Area Width PW (mm)	Printable Area Height PH (mm)	Labels per Row	Labels per Roll	Recommended Ribbon	Diagram
F N A H	BBP33	B33-627-461	White/Transparent	27.94	6.35	22.00	6.35	1	1000	B30-R4300	■



B-482 TISSUE CASSETTE LABELS

TISSUE CASSETTE LABELS ARE USED IN CONJUNCTION WITH BSP31 LABEL ATTACHMENT SYSTEM.

- Superior resistance to processing fluids and conditions




Special Properties	Fits Printer Model(s)	Order Reference	Colour	Size - Width A (mm)	Size - Height B (mm)	Labels per Row	Labels per Roll	Recommended Ribbon	Diagram
F A H	BBP33	B33-199-482	White	26.67	6.35	1	3000	B30-R6400	▲
F A H	BBP33	B33-213-482	White	26.67	7.95	1	3000	B30-R6400	▲



B-488 BOTTLES, FLASKS, DISHES AND GENERAL IDENTIFICATION

USED TO IDENTIFY A VARIETY OF COMMON LABORATORY GLASSWARE ITEMS AND OTHER CONSUMABLES.



Special Properties	Fits Printer Model(s)	Order Reference	Colour	Size - Width A (mm)	Size - Height B (mm)	Horizontal Repeat C (mm)	Vertical Repeat D (mm)	Labels per Row	Labels per Roll	Recommended Ribbon	Diagram
F A	BBP33	B33-616-488	White	22.86	19.05	25.86	22.05	3	3000	B30-R4300	●
F A	BBP33	B33-617-488	White	22.86	22.86	25.86	25.86	3	3000	B30-R4300	●
F A	BBP33	B33-635-488	White	48.26	6.35	-	11.35	1	2000	B30-R4300	▲

- F Freezer environment
- N Liquid nitrogen environment
- A Autoclave environment
- H Hot water bath (100°C)

PRINT RIBBONS

“DROP & CLICK” PRINT RIBBONS FOR QUICK AND EASY SUPPLY CHANGES

- Tough, smear-proof ribbons that produce long-lasting printed text
- Print can withstand years in industrial areas and outdoor conditions
- Ribbons supplied in self-contained cartridges that drop straight into the printer with a “click”
- No calibrating, no threading, no waste, no hassle and the ink will always be facing the right direction
- Printer notifies user if installed ribbon is not recommended for the installed labels



Order Reference	Colour	Size - Width A (mm) x Size - Length B (m)
B30-R10000	Black	110.00 x 60.90
B30-R10000-BL	Blue	110.00 x 60.90
B30-R10000-GN	Green	110.00 x 60.90
B30-R10000-MA	Magenta	110.00 x 60.90
B30-R10000-OR	Orange	110.00 x 60.90
B30-R10000-RD	Red	110.00 x 60.90
B30-R10000-WT	White	110.00 x 60.90
B30-R10000-YL	Yellow	110.00 x 60.90
B30-R6000	Black	110.00 x 60.90
B30-R4300	Black	110.00 x 60.90
B30-R4400-WT	White	110.00 x 60.90
B30-R4500*	Silver	104.39 x 60.90
B30-R6400	Black	104.39 x 60.90
B30-R6200	Black	104.39 x 60.90

* This ribbon is for use with B-342 and B-345 Black PermaSleeves only



BBP31/33 PRINT RIBBON/MATERIAL COMPATIBILITY

B Number	Material		B30-R4300 Black	B30-R6000 Black	B30-R6200 Black	B30-R10000 Black	B30-R4400-WT White	B30-R10000-WT White	B30-R4500* Silver	B30-R10000 Colours	B30-R6400 Black
B-342	Heat-shrink Polyolefin Sleeve	Matt	✓						✓		
B-345	High Temperature Heat-shrink Polyvinylidene Fluoride Sleeve	Matt		✓					✓		
B-423	Polyester	Gloss		✓	✓						
B-424	Paper	Matt	✓								
B-425	Polypropylene	Matt	✓								
B-426	Polyimide	Matt	✓								
B-427	Self-laminating Vinyl	Matt	✓								
B-428	Metallised Polyester	Matt	✓								
B-430	Polyester	Gloss		✓	✓						
B-432	Polyester	Gloss		✓							
B-434	Metallised Polyester	Gloss		✓							
B-438	Tamper-Evident Metallised Polyester	Matt	✓								
B-457	Polyimide	Gloss		✓							
B-461	Self-laminating Polyester	Matt	✓		✓						
B-477	Static Dissipative Polyimide	Gloss		✓							
B-478	Static Dissipative Polyimide	Gloss		✓							
B-479	Static Dissipative Polyimide	Matt		✓							
B-481	StainerBondz™ Polyester	Matt									✓
B-482	Polyester	Matt									✓
B-483	Polyester	Gloss		✓							
B-486	Metallised Polyester	Matt	✓								
B-488	Polyester	Matt	✓								
B-489	Polyester	Matt	✓								
B-490	Freezerbondz™ Polyester	Matt	✓								
B-492	Freezerbondz™ Polyester	Matt									✓
B-498	Vinyl Cloth	Semi-gloss			✓						
B-499	Nylon Cloth	Matt		✓							
B-509	Magnetic Polyester			✓		✓				✓	
B-526	Phosphorescent Polyester			✓		✓				✓	
B-551	Polyester Tag			✓		✓				✓	
B-565	Metallised Polyester	Matt		✓		✓				✓	
B-569	Polyester			✓		✓		✓		✓	
B-581	Vinyl			✓		✓		✓		✓	
B-584	Reflective Tape			✓		✓				✓	
B-593	Polyester			✓							
B-595	Vinyl	Gloss		✓		✓		✓		✓	
B-7563	Metallised Polyester	Satin		✓	✓					✓	
B-7569	Vinyl	Gloss		✓		✓		✓		✓	
B-7597	Polyethylene Tag	Matt	✓								
B-7642	Heat-shrink Polyolefin Sleeve	Matt	✓								
B-8423	Polyester	Satin		✓	✓						

* This ribbon is for use with B-342 and B-345 Black PermaSleeves only

BBP31 & BBP33 Sign & Label Printers



BBP™31
SIGN & LABEL PRINTER



BBP™33
LABEL PRINTER

Order Reference	Art. No.	Description
BBP31 QWERTY UK Printer	710731	BBP31 Sign and Label Printer - 240 V
BBP31 QWERTY EU Printer	710737	BBP31 Sign and Label Printer - 220 V
BBP31 QWERTZ Printer	710738	BBP31 Sign and Label Printer - 220 V
BBP31 AZERTY Printer	710739	BBP31 Sign and Label Printer - 220 V
BBP31 CYRILLIC Printer	710740	BBP31 Sign and Label Printer - 220 V

Order Reference	Art. No.	Description
BBP33 EU Printer	711071	BBP33 Sign and Label Printer - 220V
BBP33 UK Printer	711075	BBP33 Sign and Label Printer - 240V

BBP™31 PRINTER KITS

Order Reference	Art. No.	Description
BBP31 QWERTY EU printer + MW	710732	BBP31 Sign and Label Printer - 220V with MarkWare Signmaking Software
BBP31 QWERTZ Printer + MW	710733	BBP31 Sign and Label Printer - 220V with MarkWare Signmaking Software
BBP31 AZERTY Printer + MW	710734	BBP31 Sign and Label Printer - 220V with MarkWare Signmaking Software
BBP31 CYRILLIC Printer + MW	710735	BBP31 Sign and Label Printer - 220V with MarkWare Signmaking Software
BBP31 QWERTY UK Printer + MW	710736	BBP31 Sign and Label Printer - 240V with MarkWare Signmaking Software

BBP™33 PRINTER KITS

Order Reference	Art. No.	Description
BBP33 EU Printer + LM	711072	BBP33 Sign and Label Printer - 220V with LabelMark Software
BBP33 EU Printer + MW	711073	BBP33 Sign and Label Printer - 220V with MarkWare Software
BBP33 EU Printer + LM & MW	711074	BBP33 Sign and Label Printer - 220V with LabelMark and MarkWare Software
BBP33 UK Printer + LM	711076	BBP33 Sign and Label Printer - 240V with LabelMark SoftWare
BBP33 UK Printer + MW	711077	BBP33 Sign and Label Printer - 240V with MarkWare SoftWare
BBP33 UK Printer + LM & MW	711078	BBP33 Sign and Label Printer - 240V with LabelMark and MarkWare SoftWare

PRINTER TECHNICAL DATA

	BBP™31 Sign & Label Printer	BBP™33 Label Printer
Printer Information	The BBP™31 Sign and Label Printer is an easy-to-use, versatile benchtop printer that can print signs and labels up to 101.60mm wide. It features a large touchscreen display with drag and drop label design and an intuitive home screen that allows you create labels quickly and easily - in as little as 2 steps. The BBP31 Sign and Label Printer can print on hundreds of different labels, tapes, tags and materials. With true "walk-up-and-print" ease of use, everything that needs to be labelled in a facility actually gets labelled.	The BBP™33 Label Printer is a completely hassle free, easy to use PC-based printer that can print signs and labels up to 101.60mm wide. Smart chip supplies automatically set up the label in your Brady software, eliminating manual calibration and label waste. Drop-in ribbon and label cartridges ensure fast and effortless material changes. The BBP33 Label Printer can print on a full range of safety and facility label materials as well as die cut labels for wire identification, product identification or laboratory identification.
Applications	Primarily Facility ID such as pipe markers, Lean/5S, arc flash labels, chemical labels, equipment labels, reflective and glow-in-the-dark ID, tags, magnetic and panel labels.	True multi-application printer with a complete range of supplies for both Wire, Cable, Product and Electronics labelling as well as Safety, Facility and Lean/5S applications
Specifications		
Print Resolution (dpi)	300 dpi	300 dpi
Print Speed (mm/sec)	76mm/second (maximum)	100mm/second (maximum)
Print Technology	Thermal Transfer Printing	Thermal Transfer Printing
Max. Label Width	101.60 mm	101.60 mm
Min. Label Dimension	12.70	6.35
Auto Cutter	Standard, built in	Standard, built in
Options		
Colour Capability	Monocolour	Monocolour
Stand Alone Printing (Detached from PC)	Yes	No, peripheral only
Programming Language	None	BPL (Brady Programming Language) ZPL (Zebra Programming Language), DPL (Datamax programming language), Jscript: subset supported
Software Compatibility	MarkWare, Windows based driver for 3rd party software use	LabelMark, MarkWare, CodeSoft, Windows based driver for 3rd party software use
Continuous vs Die Cut Labels	Continuous Tape and Die Cut Labels	Continuous Tape and Die Cut Labels
Recommended Usage/ Labels per Day	- For Safety labels: 600 2" by 4" labels per day, 300 larger labels per day Operational Hours: 3 hours / 5 days - Throughput indication not a guarantee of performance, depends on specific label size, text printed and other factors	- For Wire ID and small OEM labels: 1000 labels per day Operational Hours: 8 hours / 5 days - For Safety labels: 600 2" by 4" labels per day, 300 larger labels per day - Throughput indication not a guarantee of performance, depends on specific label size, text printed and other factors
Materials Supported	In total over 300 parts and 15 materials that can also be used in the BBP33	In total over 600 parts and 40 materials, plus custom sizes available
PC Connectivity	Yes	Yes
Connectivity Options	Standard: USB	Standard: USB, Ethernet Optional: Wifi, Bluetooth
Custom labels	No	Yes
Physical Properties		
Depth x Height x Width	280 mm x 225 mm x 305 mm	304 mm x 241 mm x 230 mm
Weight (kg)	6.5	5.3
Keyboard	Full size fold down keyboard QWERTY, AZERTY, QWERTZ, CYRILLIC QWERTY	None
Operating Temperature	10-40°C 10-80% non condensating	10-40°C 10-80% non condensating
Approval/Compliance	UL, cUL, CE, WEEE, RoHS, C-Trick (Australia), GOST R (Russia)	UL, cUL, CE, WEEE, RoHS, C-Trick (Australia), GOST R (Russia)
Warranty	12 months	12 months

BBP31 & BBP33 PRINTER ACCESSORIES

Order Reference	Art. No.	Description
Trolley for BBP31 and BBP33	120994	Trolley for BBP31 and BBP33
B31-WIPER	142114	Media Wiper 5 Pack
B31-STYLUS	142115	Replacement Stylus 3 Pack
B31-CCT	142116	Cutter Cleaning Tool for BBP31 and BBP33
B31-DC	142117	BBP31 Dust Cover
NET-WIFI	142266	Bluetooth/WiFi Network Card
NET-LAN	142267	LAN Network Card
NET- BT-WIFI-LAN	142268	Bluetooth/WiFi/ LAN Network Card



Stylus



Network Card



Dust Cover



Cutter Cleaning Tool



Trolley



MARKWARE

- Create custom safety signs including pipe markers, ANSI signs, Lockout Tags, GHS labels, RTK chemical labels and custom labels with barcodes and graphics
- Template wizard walks you through label creation process
- Built-in graphics and 2,000 chemical database for RTK
- Pre-formatted GHS label templates
- Printer automatically reads supply and sets up label part for full hassle-free use when using Brady's MarkWare software

Order Reference	Art. No.	Description
Markware Software (Multi-lingual)	710669	MarkWare Industrial Signmaking Software
Markware Software (Multi-lingual)	710670	MarkWare Industrial Signmaking Software upgrade



LABELMARK

- Written specifically for wire and datacom ID, ADM Labelling and general industrial labelling
- Printer automatically reads installed supply and sets up label part for full hassle-free use when using Brady's Label Mark software

Order Reference	Art. No.	Description
LM5 Std	622242	LabelMark 5 Standard Labelling Software
LM5 Pro	622243	LabelMark 5 Pro
LM 5 Upgr Std to Pro	622244	Upgrade LM5 Std to Pro
LM 5 Std Upgrade from LM3/LM4/Identilab	622245	Upgrade LM5 Std from 3/4 & Identilab
LM 5 Pro Upgrade from LM3/LM4/Identilab	622246	Upgrade LM5 Pro from 3/4 & Identilab



CODESOFT

- Available separately, this powerful enterprise level label creation software features more extensive capabilities for integration with 3rd party software applications

Order Reference	Description
CodeSoft™ Enterprise	CodeSoft Enterprise Enhanced Software
CodeSoft™ Pro	CodeSoft Pro Standard Software
CodeSoft™ Lite	CodeSoft Lite - Entry level Software
CodeSoft™ Network	Codesoft Network

Brady Corporation

Our mission is To Identify and Protect Premises, Products and People



Company Overview

BRADY was founded in 1914 in Eau Claire, Wisconsin, as W.H. BRADY Co., and renamed BRADY Corporation in 1998. The company began selling products internationally in 1947. In 1984, BRADY went public, with stock trading on the Nasdaq Stock Market, and in 1999, moved trading of its stock to the New York Stock Exchange, where it trades under the symbol BRC. The company's global headquarters is in Milwaukee, Wisconsin.

Brady manufactures and markets:

- products for identification and safety applications such as signs and markers, and printing systems and software to produce identification products on site and on demand.
- products for wire identification, including labelling materials and tools for wire and cable marking in the electrical and telecommunication markets
- high-performance identification products, including labels and signs that remain legible and highly adhesive even in harsh environments
- precision die-cut parts, including custom die-cut and slit materials for use in mobile handset, consumer electronics, medical, hard disk drive and automotive markets
- identify people and enhance security by ensuring the right persons are in the right places at the right time

Operations – Some facts:

- 6500 employees around the world
- Operations in 29 countries
- Distribution in more than 100 countries through more than 4,400 distributor partners



BRADY Africa
361 Olympic Drive
Northlands Business Park
Newmarket Road
Randburg
Tel: +27 11 705 3295
Fax: +27 86 501 7775

BRADY Benelux
Industriepark C/3
Lindestraat 20
9240 Zele, Belgium
Tel. +32 (0) 52 45 78 11
Fax +32 (0) 52 45 78 12

Brady Central & Eastern Europe
Na Pántoch 18
831 06 Bratislava, Slovakia
Tel. +421 2 3300 4800
Fax +421 2 3300 4801

BRADY Denmark
Svendborgvej 39D
5260 Odense S
Tel. +45 66 14 44 00
Fax +45 66 14 44 50

BRADY France
Parc EUROCIT
45, avenue de l'Europe
59436 Roncq Cedex
Tel. +33 (0) 3 20 01 08 70
Fax +33 (0) 3 20 01 08 76

BRADY Germany
Büchenhöfe 2
63329 Egelsbach
Tel. +49 (0) 6103 7598 660
Fax +49 (0) 6103 7598 670

BRADY Hungary
Puskás Tivadar u. 4.
2040 Budaörs
Tel. +36 23 500 275
Fax +36 23 500 276

BRADY Italy
Via Pitagora 18
20128 Milano
Tel. +39 02 26 00 00 22
Fax +39 02 25 75 351

BRADY Middle East FZE
PO BOX 18015
Jebel Ali, Dubai, UAE
Tel. +971 4881 2524
Fax +971 4881 3183

BRADY Norway
Lerstadveien 506
6018 Ålesund
Tel. +47 70 13 40 00
Fax +47 70 13 40 01

BRADY Spain & Portugal
Diputación, 260
08007 Barcelona, Spain
Tel. +34 900 902 993
Fax +34 900 902 994

BRADY Sweden
Vallgatan 5
170 67 Solna
Tel. +46 (0) 8 590 057 30
Fax +46 (0) 8 590 818 68

BRADY Turkey
Selvili Sok. No: 3/4
4. Levent Istanbul 34330
Tel. +90 212 264 02 20 / 264 02 21
Fax +90 212 270 83 19

BRADY UK & Ireland
Wildmere Industrial Estate
Banbury, Oxon – OX16 3JU, UK
Tel. +44 (0) 1295 228 288
Fax +44 (0) 1295 228 100

BRADY WORLDWIDE

Australia	612-8717-6300
Brazil	55-11-3686-4720
Canada	1-800-263-6179
China (Beijing)	86-10-6788-7799
China (Shanghai)	86-21-6886-3666
China (Wuxi)	86-510-528-2222
Hong Kong	852-2359-3149
Japan	81-45-461-3600
Korea	82-31-451-6600
Latin America	1-414-540-5560
Malaysia	60-4-646-2700
Mexico	525-399-6963
New Zealand	61-2-8717-2200
Philippines	63-2-658-2077
Singapore	65-6477-7261
Taiwan	886-3-327-7788
Thailand	66-2-793-9200
USA	1-800-537-8791

Your distributor