

PROTECTIVE EYEWEAR

Radiation, Laser, and Safety Protection



What makes ProtecX an outstanding medical protection partner?



Top quality products and more than 20 years of manufacturing experience.



Dedicated
account managers
who provide the
highest level of
customer service and
product knowledge.



A vast assortment of comfortable, durable eyewear options for all your protective needs.

To place your order call your representative today at +44 (0) 1462 440715 or visit ProtecX.co.uk





PROTECT YOUR EYES

Your eyes are a critical tool for the work you do, and your vision is an important part of your life and well-being.

Scatter radiation and laser light both pose a serious health risk to your eyes, and every reasonable action should be taken to protect them. We offer an extensive line of eyewear that is designed for maximum comfort, weight distribution, and style. The variety of frames and features ensures there's a style to fit every need.

In this catalog, we present you with all the details you need to make informed decisions for the right eyewear. If you have any questions, **we are here to help**.

OPTIONS FOR YOUR EYEWEAR



ANTI-FOG COATING

Our No-Fog coated lenses are essential for your radiation safety glasses. They offer an unparalleled level of fog resistance from a coating that will never fog when introduced into a humid environment. The No-Fog coating works on the molecular level to prevent vapors from cohering on the surface of the lens. Whether you are experiencing humidity from the room you're working in, or a bit of sweat, this coating will give you unclouded vision for the lifesaving tasks in your day. Not available with prescription lenses.



FRAME ENGRAVING

Personalize your glasses with engraved frames to protect your investment. Engraving can be done on many of our frames so you can easily identify which glasses belong to you. There are limitations on the number of characters each frame can hold. If your request doesn't fit, we will work with you to find a solution.



PRESCRIPTION LENSES

We offer several different prescription options for our Rx-labeled frames. If you are in need of prescription glasses, we are sure to have a frame to fit. These glasses are available for those needing Single Vision, Standard Bifocal, or Progressive Bifocal prescriptions.



Prior to placing your order for prescription glasses, we require a current, legible, and signed Rx that includes your pupillary distance. Non-Rx Readers with simple magnification are available on any frames that accept Single Vision correction. Orders will not be processed without prior receipt of a valid Rx.



All radiation safety glasses are made with Schott SF6 high index lenses for the clearest vision with .75mm PbEq protection. We also have Fit-Over style frames to suit those who'd like to still wear their regular Rx glasses.

NARROW FIT

SIZING RECOMMENDATIONS

MEDIUM FIT

Each frame has detailed specifications of the frame size listed. Measurements are in millimeters (mm) unless otherwise stated.

WIDE FIT

There is no substitute for trying frames on, but it is helpful to narrow it down to the best options for your needs.

ADJUSTABLE FIT

SIDE SHIELDS

Side shields provide additional protection and coverage. Side shields are available for purchase to fit select frames. Speak with an Account Manager for more details.



Wiley X® P17 | ES17 **MEDIUM FIT**

This Wiley X frame has a pronounced curve, non-slip rubberized temples, and nose piece for added comfort. These medium width frames are very popular due to their light weight and comfort.









Anti-Fog

Engraving

| 61 grams | 61 mm | 18 mm | 120 mm | 34 mm | 135 mm |
|----------|-------|--------|--------|--------|---------|
| Frame | Lens | Bridge | Temple | Lens | Overall |
| Weight | Width | Width | Length | Heiaht | Width |



Wiley X® Tide | ES86 **MEDIUM FIT**

This Wiley X has a sleek wraparound frame that comes with a removable facial cavity seal to protect against debris.







Black

Brown

Anti-Fog

| Frame | Lens | Bridge | Temple | Lens | Overall |
|----------|-------|--------|--------|--------|---------|
| Weight | Width | Width | Length | Height | Width |
| 86 grams | 67 mm | 18 mm | 125 mm | 35 mm | 125 mm |



Wiley X® Airrage | ES96 **MEDIUM FIT**

This Wiley X frame has a pronounced curve, rubberized temples, and removable foam facial cavity seal.







| Weight 76 grams | Width 61 mm | Width 18 mm | Length 124 mm | Height 36 mm | Width 139 mm |
|-----------------|----------------|----------------|---------------|---------------|-----------------|
| Frame | Lens | Bridge | Temple | Lens | Overall |

To place your order call your representative today at +44 (0) 1462 440715 or visit ProtecX.co.uk



Leaded Eyewear Small Fit-Over | ES90/91/92 MEDIUM FIT

Durable and stylish nylon frame designed to fit over most styles of prescription eyewear. Side shields protect from lateral exposure. The Fit-Over is a quick, easy, and affordable solution.



Frame Weight

85 grams



Tortoise

Lens Width

62 mm







Anti-Fog

-Fog Engraving



Leaded Eyewear | ES82

WIDE FIT

A stylish wrap-around frame constructed with high impact nylon. It features rubberized soft-grip temple bars for a secure fit.







Blue

e Black

Anti-Fog

| Bridge | Temple | Lens | Overall | Frame | Lens | Bridge | Temple | Lens | Overall |
|--------|--------|--------|---------|----------|-------|--------|--------|--------|---------|
| Width | Length | Height | Width | Weight | Width | Width | Length | Height | Width |
| 15 mm | 145 mm | 40 mm | 145 mm | 67 grams | 64 mm | 16 mm | 140 mm | 35 mm | 140 mm |





Grey





Blue







Leaded Eyewear | ES99

WIDE FIT

This is a stylish wrap-around frame made of high impact resistant plastic.





Anti-Fog

Outside Engraving

| Frame | Lens | Bridge | Temple | Lens | Overall |
|----------|-------|--------|--------|--------|---------|
| Weight | Width | Width | Length | Height | Width |
| 67 grams | 62 mm | 18 mm | 145 mm | 35 mm | 134 mm |



Sport Wrap | ES51 **NARROW FIT**

This sleek sport frame features a rubberized nose piece and arms to help hold frames in place. Side shields provide additional coverage and protection.













Standard Progressive

| Frame | Lens | Bridge | Temple | Lens | Overall |
|---------------|-------|--------|--------|--------|---------|
| Weight | Width | Width | Length | Height | Width |
| 59.5 grams | 50 mm | 19 mm | 130 mm | 35 mm | 128 mm |

Single



Sport Wrap | ES52 **MEDIUM FIT**

This sleek sport frame features a rubberized nose piece and arms to help hold frames in place. Side shields provide additional coverage and protection.











Single

Standard Progressive

| Frame | Lens | Bridge | Temple | Lens | Overall |
|----------|-------|--------|--------|--------|---------|
| Weight | Width | Width | Length | Height | Width |
| 70 grams | 54 mm | 18 mm | 135 mm | 35 mm | 135 mm |



Sport Wrap | ES53 **WIDE FIT**

This sleek sport frame features a rubberized nose piece and arms to help hold frames in place. Side shields provide additional coverage and protection.







Anti-Fog





Standard Progressive Bifocal

| 70 grams | 54 mm | 18 mm | 130 mm | 34 mm | 145 mm |
|----------|-------|--------|--------|--------|---------|
| Frame | Lens | Bridge | Temple | Lens | Overall |
| Weight | Width | Width | Length | Height | Width |



Sport Wrap | ES54 **WIDE FIT**

This versatile frame features an adjustable rubberized nose piece to fit a variety of bridge sizes for a secure fit. It also provides a large viewing area and side shields for additional coverage and protection.













Black

Anti-Fog

Outside Engraving

Single

Standard Progressive Bifocal Bifocal

| 82.7 grams | 56 mm | 19 mm | 135 mm | 43 mm | 145 mm |
|---------------|-------|--------|--------|--------|---------|
| Frame | Lens | Bridge | Temple | Lens | Overall |
| Weight | Width | Width | Length | Height | Width |





Sport Wrap | ES55 **WIDE FIT**

Made of a lightweight and sturdy nylon material that won't warp or loosen with age. It has perforated silicone rubber nose pads for outstanding grip and fog-reducing ventilation.



Black















Single Vision

Progressive Bifocal



Sport Wrap | ES30 **NARROW FIT**

This frame has a unisex shape with temple bars that have soft inside rubberized padding for extra comfort.









Silver

Black

Navy

Red









Anti-Fog

Outside Engraving

Single Vision

Standard Progressive Bifocal Bifocal

| Frame | Lens | Bridge | Temple | Lens | Overall |
|----------|-------|--------|--------|--------|---------|
| Weight | Width | Width | Length | Height | Width |
| 82 grams | 55 mm | 15 mm | 135 mm | 35 mm | 125 mm |

| 63 grams | 53 mm | 17 mm | 130 mm | 32 mm | 125 mm |
|----------|-------|--------|--------|--------|---------|
| Frame | Lens | Bridge | Temple | Lens | Overall |
| Weight | Width | Width | Length | Height | Width |



Sport Wrap | ES37 **MEDIUM FIT**

This premium frame has a head-hugging temple design and is constructed out of a durable, high impact and chemical-resistant nylon.
















Vision





Standard Progressive Bifocal Bifocal



Outside

Engraving



Sport Wrap | ES25 Goggles **ADJUSTABLE FIT**

These vented goggles feature neoprene foam on the inside. The flame-resistant elastic adjustable headband makes this frame extremely comfortable. Large lens pocket allows for maximum viewing area.











Single Vision

Standard Progressive Bifocal Bifocal

| Frame | Lens | Bridge | Temple | Lens | Overall |
|----------|-------|--------|------------|--------|---------|
| Weight | Width | Width | Length | Height | Width |
| 70 grams | 58 mm | 22 mm | Adjustable | 38 mm | 115+ |











Boltz | ES220S

Get ultimate comfort and protection with these sleek and stylish frames. The Boltz delivers streamlined style, ease, and lightweight durability. Plus, a ventilated nose bridge reduces fogging while you work. Be the envy of your radiological suite with these chic yet versatile frames. Offers .75mm protection.









Anti-Fog

Single

Standard Bifocal

Progressive Bifocal

| Weight 81 grams | Width 58 mm | Width 15 mm | Length 135 mm | Height 36 mm | 134 mm |
|------------------|-------------|-------------|---------------|---------------|------------------|
| Frame | Lens | Bridge | Temple | Lens | Overall Width |



Classic | ES40 **NARROW FIT**

Classic nylon frame combines function and fashion. Side shields provide added protection from lateral exposure.















Single Vision

Standard Progressive Bifocal Bifocal

| 79 grams | 55 mm | 15 mm | 150 mm | 35 mm | 130 mm |
|----------|-------|--------|--------|--------|---------|
| Frame | Lens | Bridge | Temple | Lens | Overall |
| Weight | Width | Width | Length | Height | Width |



Classic | ES77 **NARROW FIT**

Classic nylon frame combines function and fashion. Side shields provide added protection from lateral exposure.













Standard Progressive

| Engraving | Single | Standard | Progressive |
|-----------|--------|----------|-------------|
| | Vision | Bifocal | Bifocal |
| | | | |

| Frame | Lens | Bridge | Temple | Lens | Overall |
|----------|-------|--------|--------|--------|---------|
| Weight | Width | Width | Length | Height | Width |
| 79 grams | 53 mm | 16 mm | 130 mm | 35 mm | 130 mm |





Classic | ES2

MEDIUM FIT

This classic radiation protection frame comes with a silicone non-slip bridge for increased comfort and excellent peripheral vision. Side shields provide added protection from lateral exposure.





Engraving



Vision





Standard Progressive Bifocal Bifocal

| 85 grams | 51 mm | 20 mm | 140 mm | 40 mm | 125 mm |
|----------|-------|--------|--------|--------|---------|
| Frame | Lens | Bridge | Temple | Lens | Overall |
| Weight | Width | Width | Length | Height | Width |



Astro-Flex | ES250 **ADJUSTABLE FIT**

These radiation protective glasses feature ratcheting and adjustable length temple bars. This product offers our standard high quality, distortion-free SF-6 Schott glass radiation-reducing lenses with .75mm lead equivalency and .50mm lateral production. The model 250 fits best for large head sizes.



Lens

Width

62 mm

Frame

Weight

90 grams



Bridge

Width

196 mm



Temple

Length

130-150

mm



Anti-Fog Single Vision

Standard Bifocal

Progressive Bifocal

Lens

Height

43 mm

Overall

Width

144 mm

Small Frame

Silver

Blue

Black

| 73.9 grams | 53 mm | 17 mm | 130 mm | 32 mm | 130 mm |
|---------------|-------|--------|--------|--------|---------|
| Frame | Lens | Bridge | Temple | Lens | Overall |
| Weight | Width | Width | Length | Height | Width |



Cocoon | ESC302

These extra large fitover radiation protective glasses, offer a comfortable, lightweight, and durable design that fits over prescription eyewear. The frame is constructed of our durable TR-90 nylon and offers .50mm Pb lateral protection. This product offers our standard high quality, distortion-free SF-6 Schott glass radiation-reducing lenses with .75mm lead equivalency. These glasses will fit over almost any style of glasses and head sizes with comfort.





| Frame | Lens | Bridge | Temple | Lens | Overall |
|--------------|-------|--------|--------|--------|---------|
| Weight | Width | Width | Length | Height | Width |
| 114 grams | 62 mm | 18 mm | 125 mm | 50 mm | 145 mm |

Ultralite Small and Large Frame | ESMX30

These radiation protective glasses offer a stylish wrap-around frame constructed of high impact TR-90 nylon and feature rubberized soft grip temple bars and rubberized saddle bridge nose pad for extra comfort. The frame also has an interlocked retainer cord that clicks into the back of the temple bar for a snug fit. This product comes with our standard high quality, distortion-free SF-6 Schott glass radiation-reducing lenses with .75mm lead equivalency.













Anti-Fog Engraving

Single Vision

Standard Progressive Bifocal Bifocal

Large Frame

| Frame | Lens | Bridge | Temple | Lens | Overall |
|---------------|-------|--------|--------|--------|---------|
| Weight | Width | Width | Length | Height | Width |
| 76.4 grams | 55 mm | 22 mm | 130 mm | 39 mm | 133 mm |



Nike Brazen Boost

Nike Brazen Boost is a full rim frame for men and women that is made of plastic. It has a rectangular shape with a single bridge. The frame features a rubber temple to provide a secure grip. This product offers our standard high quality, distortion-free SF-6 Schott Glass Radiation-reducing lenses with .75mm lead equivalency.









Black/ Anthracite White

Matte Dark Matte Dark Obsidian Grey/White









Vision



Standard Bifocal

Progressive Bifocal

| 72.7 grams | 57 mm | 16 mm | 130 mm | 39 mm | 135 mm |
|---------------|-------|--------|--------|--------|---------|
| Frame | Lens | Bridge | Temple | Lens | Overall |
| Weight | Width | Width | Length | Height | Width |



Nike Sentiment

Nike Sentiment is a full rim frame for women that is made of plastic. This model features a square shape with a single bridge. Rubber nose pads and rubber temples provide a secure fit for everyday wear. This product offers our standard high quality, distortion-free SF-6 Schott Glass Radiationreducing lenses with .75mm lead equivalency.









Matte Black/ Black

Anthracite/ Silver

Black/ Copper

Soft Tortoise/ Gunmetal





Engraving



Vision






Standard

Bifocal



Bifocal

| Frame | Lens | Bridge | Temple | Lens | Overall |
|---------------|-------|--------|--------|---------|---------|
| Weight | Width | Width | Length | Height | Width |
| 73.6 grams | 56 mm | 18 mm | 130 mm | 41.5 mm | 139 mm |



Black/Grey

Black/Silver

Nike Adrenaline

The stylish and functional Nike Adrenaline is a lightweight, durable injected frame that gives a crisp view at any angle. It comes with high tension hinges. This product offers our standard high quality, distortion-free SF-6 Schott Glass Radiation-reducing lenses with .75mm lead equivalency. The model RG-NI-ADRENALINE fits best for large head sizes.



Anti-Fog

| Frame | Lens | Bridge | Temple | Lens | Overall |
|----------|-------|--------|--------|---------|---------|
| Weight | Width | Width | Length | Height | Width |
| 81 grams | 64 mm | 14 mm | 135 mm | 40.5 mm | 135 mm |



Nike 7118

Nike 7118 is a full rim frame for men and women that is made of plastic. This model features a square shape with a single bridge. Rubber temple bars and silicon nose pads provide comfort and easy adjustment. This product offers our standard high quality, distortion-free SF-6 Schott Glass Radiationreducing lenses with .75mm lead equivalency.







Matte Black



Matte Black/ Racer Blue



Matte Midnight Navy/Wolf Grey







Engraving





Vision



Bifocal



Progressive Bifocal

| 59.1 grams | 55 mm | 14 mm | 140 mm | 36.5 mm | 135 mm |
|---------------|-------|--------|--------|---------|---------|
| Frame | Lens | Bridge | Temple | Lens | Overall |
| Weight | Width | Width | Length | Height | Width |



Nike 7119

Nike 7119 is a full rim frame for men and women that is made of plastic. This model features a rectangular shape with a single bridge. Silicone nose pads and a rubber temple provide comfort and easy adjustments. This product offers our standard high quality, distortion-free SF-6 Schott Glass Radiation-reducing lenses with .75mm lead equivalency.



Matte Midnight Navy/Racer Blue



Matte Black



Matte Black/ Lucid Green



Matte Seguoja/ Medium Olive













Standard Progressive Bifocal Bifocal

| Frame | Lens | Bridge | Temple | Lens | Overall |
|---------------|-------|--------|--------|--------|---------|
| Weight | Width | Width | Length | Height | Width |
| 56.2 grams | 53 mm | 17 mm | 140 mm | 32 mm | 133 mm |

Nike 7246

The Nike 7246 features an Acetate frame design for premium quality and durability. The frame comes with solid temple colorations with pop color accents and sneaker tread pattern. It includes spring hinges for comfort and durability, and a metal Nike swoosh logo plaque. This product offers our standard high quality, distortion-free SF-6 Schott Glass Radiation-reducing lenses with .75mm lead equivalency. The model RG-NI-7246 fits best for small to medium head sizes.















Anti-Fog

Outside Engraving

Single

Standard Progressive

| Frame | Lens | Bridge | Temple | Lens | Overall |
|----------|-------|--------|--------|--------|---------|
| Weight | Width | Width | Length | Height | Width |
| 71 grams | 54 mm | 17 mm | 140 mm | 38 mm | 134 mm |





Tortoise



Clear



Nike Premier

Extra-slim 4-base frame; low-profile, tapered temple arms fit easily under a hat; durable, high-tension hinges; iconic SB details.

This product offers our standard high quality, distortion-free SF-6 Schott Glass Radiation-reducing lenses with .75mm lead equivalency.







Black/Silver









Anti-Fog Single Sta Vision Bi

Standard Bifocal

Progressive Bifocal

| Frame | Lens | Bridge | Temple | Lens | Overall |
|----------|-------|--------|--------|--------|---------|
| Weight | Width | Width | Length | Height | Width |
| 77 grams | 60 mm | 13 mm | 135 mm | 42 mm | 138 mm |



Nike Brazen

The Nike Brazen frame combines streamlined style, comfort, and lightweight durability. It features a nylon frame, metal accents and a ventilated nose bridge for reduced fogging. This product offers our standard high quality, distortion-free SF-6 Schott Glass Radiation-reducing lenses with .75mm lead equivalency. The model RG-NI-BRZN fits best for large head sizes.





Black

Matte Black











Anti-Fog

Outside Engraving

Single Vision

Standard Pr Bifocal

Progressive Bifocal

| Frame | Lens | Bridge | Temple | Lens | Overall |
|---------------|-------|--------|--------|--------|---------|
| Weight | Width | Width | Length | Height | Width |
| 80.5 grams | 60 mm | 18 mm | 134 mm | 37 mm | 130 mm |





Matte Dark Grey/Purple



Matte Black/Grey



Black/Silver



Black/Sequoia







Anthracite

Nike Rabid

The Nike Rabid provides both coverage and stability. With its lightweight 8 Base frame design, the Rabid offers clarity at all angles. This product offers our standard high quality, distortion-free SF-6 Schott Glass Radiation-reducing lenses with .75mm lead equivalency. The model RG-NI-RABID fits best for large head sizes.











g Single Vision

Standard Progressive Bifocal Bifocal

| 69 grams | 64 mm | 15 mm | 135 mm | 37.5 mm | 135 mm |
|----------|-------|--------|--------|---------|---------|
| Frame | Lens | Bridge | Temple | Lens | Overall |
| Weight | Width | Width | Length | Height | Width |

FACE SHIELDS



Panorama Shield | 400 Series | ES80

Widen your range of radiation protection with the Panorama Shield 400 Series. Whether you wear prescription glasses or want to protect your eyes and nose from radiation and liquid splashes, this shield is an indispensable part of your radiation protection attire. Protection starts with the .10mm acrylic, face-formed shield suspended from a dual adjustable headpiece. Adjust it to the perfect angle for you; simply rotate the dials on the temples, then adjust a second dial on the headband for a secure, comfortable fit. The Panorama Shield cannot be sterilized at high temperatures or with high-pressure sterilization methods, so clean by wiping the shield with a soft cloth and no abrasive cleaning materials.

| Protection | Weight | |
|------------|----------------------|--|
| 10 mm | 350 grams (12.3 oz.) | |



Panorama Shield | 450 Series | ES81

Protect your entire face, from chin to brow, with the Panorama Shield 450 Series. If you wear prescription glasses or want more protection for your face, this shield will do the job. The acrylic, stationary, face-formed shield has a wide 8" surface-ideal for splash protection. The shield extends downward from a headpiece brow band, and you can use the adjustable headband strap to increase or decrease the hat size for a secure, comfortable fit. The Panorama Shield cannot be sterilized at high temperatures or with high-pressure sterilization methods, so clean by wiping the shield with a soft cloth and no abrasive cleaning materials.

| Protection | Weight |
|------------|--------------------|
| 10 mm | 395 grams (14 oz.) |

To place your order call your representative today at +44 (0) 1462 440715 or visit ProtecX.co.uk

PRESCRIPTION LIMITATIONS

| PART # | | PRESCRIPTION LIMITATIONS | |
|------------------|-------------|--------------------------|-------|
| | SPHERE | CYLINDER | PD |
| ES2P | -7.00/+5.00 | -7.00/+5.00 | 58-74 |
| ES2PB | -5.00/+5.00 | -5.00/+5.00 | 58-74 |
| ES2PP | -7.00/+5.00 | -7.00/+5.00 | 58-74 |
| ES25BLACKSV | -5.00/+5.00 | -5.00/+5.00 | 58-74 |
| ES25BLACKBIF | -4.00/+3.00 | -4.00/+3.00 | 58-74 |
| ES25BLACKPRG | -5.00/+5.00 | -5.00/+5.00 | 58-74 |
| ES30BLACKSV | -6.00/+5.00 | -6.00/+5.00 | 58-74 |
| ES30NAVYSV | -6.00/+5.00 | -6.00/+5.00 | 58-74 |
| ES30REDSV | -6.00/+5.00 | -6.00/+5.00 | 58-74 |
| ES30SILVERSV | -6.00/+5.00 | -6.00/+5.00 | 58-74 |
| ES30BLACKBIF | -5.00/+4.00 | -5.00/+4.00 | 58-74 |
| ES30NAVYBIF | -5.00/+4.00 | -5.00/+4.00 | 58-74 |
| ES30REDBIF | -5.00/+4.00 | -5.00/+4.00 | 58-74 |
| ES30SILVERBIF | -5.00/+4.00 | -5.00/+4.00 | 58-74 |
| ES30BLACKSPP | -6.00/+5.00 | -6.00/+5.00 | 58-74 |
| ES30NAVYSPP | -6.00/+5.00 | -6.00/+5.00 | 58-74 |
| ES30REDSPP | -6.00/+5.00 | -6.00/+5.00 | 58-74 |
| ES30SILVERSPP | -6.00/+5.00 | -6.00/+5.00 | 58-74 |
| ES37BLACKSV | -5.00/+4.00 | -5.00/+4.00 | 58-74 |
| ES37BLACKBIF | -4.00/+4.00 | -4.00/+4.00 | 58-74 |
| ES37BLACKPROG | -5.00/+4.00 | -5.00/+4.00 | 58-74 |
| ES37TORTOISESV | -5.00/+4.00 | -5.00/+4.00 | 58-74 |
| ES37TORTOISEBIF | -4.00/+4.00 | -4.00/+4.00 | 58-74 |
| ES37TORTOISEPROG | -5.00/+4.00 | -5.00/+4.00 | 58-74 |
| ES40SV | -9.00/+6.00 | -9.00/+6.00 | 58-74 |
| ES40SBIF | -7.00/+5.00 | -7.00/+5.00 | 58-74 |
| ES40SPRG | -9.00/+6.00 | -9.00/+6.00 | 58-74 |
| ES51BLACKSV | -7.00/+5.00 | -7.00/+5.00 | 58-74 |
| ES51BLACKBIF | -5.00/+5.00 | -5.00/+5.00 | 58-74 |
| ES51BLACKPRG | -7.00/+5.00 | -7.00/+5.00 | 58-74 |
| ES52BLACKSV | -7.00/+5.00 | -7.00/+5.00 | 58-74 |
| ES52BLACKBIF | -5.00/+5.00 | -5.00/+5.00 | 58-74 |
| ES52BLACKPRG | -7.00/+5.00 | -7.00/+5.00 | 58-74 |
| ES53BLACKSV | -7.00/+5.00 | -7.00/+5.00 | 58-74 |
| ES53BLACKBIF | -5.00/+5.00 | -5.00/+5.00 | 58-74 |
| ES53BLACKPRG | -7.00/+5.00 | -7.00/+5.00 | 58-74 |
| ES54BLACKSV | -5.00/+5.00 | -5.00/+5.00 | 58-74 |
| ES54BLACKBIF | -3.00/+5.00 | -3.00/+5.00 | 58-74 |
| ES54BLACKPRG | -5.00/+5.00 | -5.00/+5.00 | 58-74 |
| ES55BLACKSV | -5.00/+5.00 | -5.00/+5.00 | 58-74 |
| ES55TORTOISESV | -5.00/+5.00 | -5.00/+5.00 | 58-74 |
| ES55BLACKPRG | -5.00/+5.00 | -5.00/+5.00 | 58-74 |
| ES55TORTOISEPRG | -5.00/+5.00 | -5.00/+5.00 | 58-74 |

KEY

SV=Single Vision PRG=Progressive SP=Single Vision PP=Progressive

BIF=Bifocal S=Plano PB=Bifocal

| PART# | | PRESCRIPTION LIMITATIONS | |
|---------------------|-------------|--------------------------|-------|
| | SPHERE | CYLINDER | PD |
| ES77SP | -9.00/+6.00 | -9.00/+6.00 | 58-74 |
| ES77BIF | -7.00/+5.00 | -7.00/+5.00 | 58-74 |
| ES77SPP | -9.00/+6.00 | -9.00/+6.00 | 58-74 |
| ES220S-BK-BIF | -5.00/+3.50 | -2.50/+2.50 | 58-74 |
| ES220S-BK-PRG | -5.00/+3.50 | -2.50/+2.50 | 58-74 |
| ES220S-BK-SV | -5.00/+3.50 | -2.50/+2.50 | 58-74 |
| ES220S-BN-BIF | -5.00/+3.50 | -2.50/+2.50 | 58-74 |
| ES220S-BN-PRG | -5.00/+3.50 | -2.50/+2.50 | 58-74 |
| ES220S-BN-SV | -5.00/+3.50 | -2.50/+2.50 | 58-74 |
| ES220S-GRPK-BIF | -5.00/+3.50 | -2.50/+2.50 | 58-74 |
| ES220S-GRPK-PRG | -5.00/+3.50 | -2.50/+2.50 | 58-74 |
| ES220S-GRPK-SV | -5.00/+3.50 | -2.50/+2.50 | 58-74 |
| ES220S-PW-BIF | -5.00/+3.50 | -2.50/+2.50 | 58-74 |
| ES220S-PW-PRG | -5.00/+3.50 | -2.50/+2.50 | 58-74 |
| ES220S-PW-SV | -5.00/+3.50 | -2.50/+2.50 | 58-74 |
| ES250-BIF | -6.00/+3.00 | -6.00/+3.00 | 58-74 |
| ES250-PRG | -6.00/+3.00 | -6.00/+3.00 | 58-74 |
| ES250-SV | -6.00/+3.00 | -6.00/+3.00 | 58-74 |
| ESMX30-BK-BIF | -6.00/+3.00 | -6.00/+3.00 | 58-74 |
| ESMX30-BK-PRG | -6.00/+3.00 | -6.00/+3.00 | 58-74 |
| ESMX30-BK-SV | -6.00/+3.00 | -6.00/+3.00 | 58-74 |
| ESMX30-BL-BIF | -6.00/+3.00 | -6.00/+3.00 | 58-74 |
| ESMX30-BL-PRG | -6.00/+3.00 | -6.00/+3.00 | 58-74 |
| ESMX30-BL-SV | -6.00/+3.00 | -6.00/+3.00 | 58-74 |
| ESMX30-S-BIF | -6.00/+3.00 | -6.00/+3.00 | 58-74 |
| ESMX30-S-PRG | -6.00/+3.00 | -6.00/+3.00 | 58-74 |
| ESMX30-S-SV | -6.00/+3.00 | -6.00/+3.00 | 58-74 |
| ESMX30-BK-BIF-LG | -6.00/+3.00 | -6.00/+3.00 | 58-74 |
| ESMX30-BK-PRG-LG | -6.00/+3.00 | -6.00/+3.00 | 58-74 |
| ESMX30-BK-SV-LG | -6.00/+3.00 | -6.00/+3.00 | 58-74 |
| ESMX30-BL-BIF-LG | -6.00/+3.00 | -6.00/+3.00 | 58-74 |
| ESMX30-BL-PRG-LG | -6.00/+3.00 | -6.00/+3.00 | 58-74 |
| ESMX30-BL-SV-LG | -6.00/+3.00 | -6.00/+3.00 | 58-74 |
| ESMX30-S-BIF-LG | -6.00/+3.00 | -6.00/+3.00 | 58-74 |
| ESMX30-S-PRG-LG | -6.00/+3.00 | -6.00/+3.00 | 58-74 |
| ESMX30-S-SV-LG | -6.00/+3.00 | -6.00/+3.00 | 58-74 |
| NIKE EV0571-001-BIF | -3.00/+2.50 | -2.00/+2.00 | 58-74 |
| NIKE EV0571-001-PRG | -3.00/+2.50 | -2.00/+2.00 | 58-74 |
| NIKE EV0571-001-SV | -3.00/+2.50 | -2.00/+2.00 | 58-74 |
| NIKE EV0758-049-BIF | -3.00/+2.50 | -2.00/+2.00 | 58-74 |
| NIKE EV0758-049-PRG | -3.00/+2.50 | -2.00/+2.00 | 58-74 |
| NIKE EV0758-049-SV | -3.00/+2.50 | -2.00/+2.00 | 58-74 |
| NIKE EV1071-001-BIF | -3.00/+2.50 | -2.00/+2.00 | 58-74 |

| PART # | PRESCRIPTION LIMITATIONS | | | |
|---------------------|--------------------------|-------------|-------|--|
| | SPHERE | CYLINDER | PD | |
| NIKE EV1071-001-PRG | -3.00/+2.50 | -2.00/+2.00 | 58-74 | |
| NIKE EV1071-001-SV | -3.00/+2.50 | -2.00/+2.00 | 58-74 | |
| NIKE EV1073-001-BIF | -3.00/+2.50 | -2.00/+2.00 | 58-74 | |
| NIKE EV1073-001-PRG | -3.00/+2.50 | -2.00/+2.00 | 58-74 | |
| NIKE EV1073-001-SV | -3.00/+2.50 | -2.00/+2.00 | 58-74 | |
| NIKE EV1109-001-BIF | -3.00/+2.50 | -2.00/+2.00 | 58-74 | |
| NIKE EV1109-001-PRG | -3.00/+2.50 | -2.00/+2.00 | 58-74 | |
| NIKE EV1109-001-SV | -3.00/+2.50 | -2.00/+2.00 | 58-74 | |
| NIKE EV1109-061-BIF | -3.00/+2.50 | -2.00/+2.00 | 58-74 | |
| NIKE EV1109-061-PRG | -3.00/+2.50 | -2.00/+2.00 | 58-74 | |
| NIKE EV1109-061-SV | -3.00/+2.50 | -2.00/+2.00 | 58-74 | |
| NIKE EV1110-016-BIF | -3.00/+2.50 | -2.00/+2.00 | 58-74 | |
| NIKE EV1110-016-PRG | -3.00/+2.50 | -2.00/+2.00 | 58-74 | |
| NIKE EV1110-016-SV | -3.00/+2.50 | -2.00/+2.00 | 58-74 | |
| NIKE EV1110-015-BIF | -3.00/+2.50 | -2.00/+2.00 | 58-74 | |
| NIKE EV1110-015-PRG | -3.00/+2.50 | -2.00/+2.00 | 58-74 | |
| NIKE EV1110-015-SV | -3.00/+2.50 | -2.00/+2.00 | 58-74 | |
| NIKE EV1110-233-BIF | -3.00/+2.50 | -2.00/+2.00 | 58-74 | |
| NIKE EV1110-233-PRG | -3.00/+2.50 | -2.00/+2.00 | 58-74 | |
| NIKE EV1110-233-SV | -3.00/+2.50 | -2.00/+2.00 | 58-74 | |
| NIKE EV1111-001-BIF | -3.00/+2.50 | -2.00/+2.00 | 58-74 | |
| NIKE EV1111-001-PRG | -3.00/+2.50 | -2.00/+2.00 | 58-74 | |
| NIKE EV1111-001-SV | -3.00/+2.50 | -2.00/+2.00 | 58-74 | |
| NIKE CT8177-060-BIF | -3.00/+2.50 | -2.00/+2.00 | 58-74 | |
| NIKE CT8177-060-PRG | -3.00/+2.50 | -2.00/+2.00 | 58-74 | |
| NIKE CT8177-060-SV | -3.00/+2.50 | -2.00/+2.00 | 58-74 | |
| NIKE CT8179-010-BIF | -3.00/+2.50 | -2.00/+2.00 | 58-74 | |
| NIKE CT8179-010-PRG | -3.00/+2.50 | -2.00/+2.00 | 58-74 | |
| NIKE CT8179-010-SV | -3.00/+2.50 | -2.00/+2.00 | 58-74 | |
| NIKE CT8178-451-BIF | -3.00/+2.50 | -2.00/+2.00 | 58-74 | |
| NIKE CT8178-451-PRG | -3.00/+2.50 | -2.00/+2.00 | 58-74 | |
| NIKE CT8178-451-SV | -3.00/+2.50 | -2.00/+2.00 | 58-74 | |
| NIKE CT8179-021-BIF | -3.00/+2.50 | -2.00/+2.00 | 58-74 | |
| NIKE CT8179-021-PRG | -3.00/+2.50 | -2.00/+2.00 | 58-74 | |
| NIKE CT8179-021-SV | -3.00/+2.50 | -2.00/+2.00 | 58-74 | |
| NIKE CT7886-010-BIF | -3.00/+2.50 | -2.00/+2.00 | 58-74 | |
| NIKE CT7886-010-PRG | -3.00/+2.50 | -2.00/+2.00 | 58-74 | |
| NIKE CT7886-010-SV | -3.00/+2.50 | -2.00/+2.00 | 58-74 | |
| NIKE CT7886-060-BIF | -3.00/+2.50 | -2.00/+2.00 | 58-74 | |
| NIKE CT7886-060-PRG | -3.00/+2.50 | -2.00/+2.00 | 58-74 | |
| NIKE CT7886-060-SV | -3.00/+2.50 | -2.00/+2.00 | 58-74 | |
| NIKE CT7878-010-BIF | -3.00/+2.50 | -2.00/+2.00 | 58-74 | |
| NIKE CT7878-010-PRG | -3.00/+2.50 | -2.00/+2.00 | 58-74 | |
| NIKE CT7878-010-SV | -3.00/+2.50 | -2.00/+2.00 | 58-74 | |
| NIKE CT7886-220-BIF | -3.00/+2.50 | -2.00/+2.00 | 58-74 | |
| NIKE CT7886-220-PRG | -3.00/+2.50 | -2.00/+2.00 | 58-74 | |

| PART # | | PRESCRIPTION LIMITATIONS | |
|--------------------|--------------|--------------------------|-------|
| | SPHERE | CYLINDER | PD |
| NIKE CT7886-220-SV | -3.00/+2.50 | -2.00/+2.00 | 58-74 |
| NIKE 7118-001-BIF | -10.00/+4.00 | -10.00/+4.00 | 58-74 |
| NIKE 7118-001-PRG | -10.00/+4.00 | -10.00/+4.00 | 58-74 |
| NIKE 7118-001-SV | -10.00/+4.00 | -10.00/+4.00 | 58-74 |
| NIKE 7118-008-BIF | -10.00/+4.00 | -10.00/+4.00 | 58-74 |
| NIKE 7118-008-PRG | -10.00/+4.00 | -10.00/+4.00 | 58-74 |
| NIKE 7118-008-SV | -10.00/+4.00 | -10.00/+4.00 | 58-74 |
| NIKE 7118-413-BIF | -10.00/+4.00 | -10.00/+4.00 | 58-74 |
| NIKE 7118-413-PRG | -10.00/+4.00 | -10.00/+4.00 | 58-74 |
| NIKE 7118-413-SV | -10.00/+4.00 | -10.00/+4.00 | 58-74 |
| NIKE 7118-306-BIF | -10.00/+4.00 | -10.00/+4.00 | 58-74 |
| NIKE 7118-306-PRG | -10.00/+4.00 | -10.00/+4.00 | 58-74 |
| NIKE 7118-306-SV | -10.00/+4.00 | -10.00/+4.00 | 58-74 |
| NIKE 7119-001-BIF | -10.00/+4.00 | -10.00/+4.00 | 58-74 |
| NIKE 7119-001-PRG | -10.00/+4.00 | -10.00/+4.00 | 58-74 |
| NIKE 7119-001-SV | -10.00/+4.00 | -10.00/+4.00 | 58-74 |
| NIKE 7119-009-BIF | -10.00/+4.00 | -10.00/+4.00 | 58-74 |
| NIKE 7119-009-PRG | -10.00/+4.00 | -10.00/+4.00 | 58-74 |
| NIKE 7119-009-SV | -10.00/+4.00 | -10.00/+4.00 | 58-74 |
| NIKE 7119-307-BIF | -10.00/+4.00 | -10.00/+4.00 | 58-74 |
| NIKE 7119-307-PRG | -10.00/+4.00 | -10.00/+4.00 | 58-74 |
| NIKE 7119-307-SV | -10.00/+4.00 | -10.00/+4.00 | 58-74 |
| NIKE 7119-401-BIF | -10.00/+4.00 | -10.00/+4.00 | 58-74 |
| NIKE 7119-401-PRG | -10.00/+4.00 | -10.00/+4.00 | 58-74 |
| NIKE 7119-401-SV | -10.00/+4.00 | -10.00/+4.00 | 58-74 |
| NIKE 7246-003-BIF | -10.00/+4.00 | -10.00/+4.00 | 58-74 |
| NIKE 7246-003-PRG | -10.00/+4.00 | -10.00/+4.00 | 58-74 |
| NIKE 7246-003-SV | -10.00/+4.00 | -10.00/+4.00 | 58-74 |
| NIKE 7246-034-BIF | -10.00/+4.00 | -10.00/+4.00 | 58-74 |
| NIKE 7246-034-PRG | -10.00/+4.00 | -10.00/+4.00 | 58-74 |
| NIKE 7246-034-SV | -10.00/+4.00 | -10.00/+4.00 | 58-74 |
| NIKE 7246-212-BIF | -10.00/+4.00 | -10.00/+4.00 | 58-74 |
| NIKE 7246-212-PRG | -10.00/+4.00 | -10.00/+4.00 | 58-74 |
| NIKE 7246-212-SV | -10.00/+4.00 | -10.00/+4.00 | 58-74 |
| NIKE 7246-900-BIF | -10.00/+4.00 | -10.00/+4.00 | 58-74 |
| NIKE 7246-900-PRG | -10.00/+4.00 | -10.00/+4.00 | 58-74 |
| NIKE 7246-900-SV | -10.00/+4.00 | -10.00/+4.00 | 58-74 |

LASER EYEWEAR

When buying laser safety glasses and goggles, be sure to select the laser glasses to block or attenuate the appropriate wavelength range and OD (Optical Density). The operating parameters of your laser, or a Certified Laser Safety Officer (LSO), will determine what laser safety glasses you should use. If you do not have an LSO on staff or information in your laser manual, please contact us and our laser safety experts can help you.

Glass filter laser safety glasses and goggles offer the maximum protection for the widest range of wavelengths. Laser safety glass filters are also very durable and have excellent visibility.

Polycarbonate laser glasses are lightweight, economical, and offer excellent protection from lasers. Our advanced anti-scratch coating makes the polycarbonate lenses extremely durable and scratch-resistant.

1. PICK A LASER LENS

| | AKP | BG42 | CD2 | DH83 |
|----------------------------|---------------------------------------|------------------|---------------------------------------|---|
| Lense Filter Specs | 190-532nm OD 6+ 5000-11000nm OD 6+ | 700-1200nm OD 7+ | 190-390nm OD 5+ 9000-10600nm OD 7+ | 190-400nm OD 7+ 532-532nm OD 7+ 910-1070nmOD 6+ 850-1075nm OD 5+ 808-850nmOD 4+ |
| Visible Light Transmission | 41% | 64% | 82% | 33% |
| Color | Orange | Light Blue | Clear | Brown |
| Material | Polycarbonate | Glass | Polycarbonate | Polycarbonate |

| | CR39 | KG5 | Y93 | PKA |
|----------------------------|---|--|--|--|
| Lense Filter Specs | 190-340nm OD7+ 2760-3470nm OD7+ 5000-11000nm OD7+ | 870-950nm OD 6+ 950-1000nm OD 9+ 1000-1550nm OD 10+ 1550-2750nm OD 6+ 2800-11000nm OD 8+ | 190-435nm OD 6+ 730-1085nm OD 5+ 755nm OD 7+ 1064nm OD 7+ | The PKA lens is not sold on its own for laser glasses. These lenses are glass and also provide radiation attenuation with 0.75mm PbEq. When laminated to the radiation lens, the UV protection is OD 6+ 190nm-349nm because the radiation lens provides some UV blocking as well. |
| Visible Light Transmission | 85% | Excellent | 41% | 64% |
| Color | Clear | Clear | Green | Pink |
| Material | Polycarbonate | Glass | Polycarbonate | Glass |

2. PICK A LASER FRAME



Laser | 100 **MEDIUM FIT**

This wrap-around design provides a comfortable unisex fit, with rubber nose pads, rubberized temple bars, and a nylon frame that is lightweight and durable.





Silver



Laser | 150 **MEDIUM FIT**

The Fit-Over frame fits over most types of prescription glasses. If you need laser safety glasses to fit over your current eyewear, this is a great option. They offer an exceptional field of view, rubberized grip, and are lightweight.





Laser | 200 **ADJUSTABLE FIT**

This spectacle style design has a black nylon frame and extendable temple arms for great protection and versatility.



PROTECX.CO.UK 19

SAFETY GLASSES

KEY

SV=Single Vision BIF=Bifocal PRG=Progressive





Safety Glasses | ES286







Vision





Standard Bifocal

Progressive Bifocal

Safety Glasses | ES287





Vision



Standard Bifocal



Progressive Bifocal



Safety Glasses | ES288



Black



Single



Standard Bifocal



Progressive



Safety Glasses | ES289







Single




Standard Bifocal



Progressive Bifocal

| PART # | PRESCRIPTION LIMITATIONS | | | | |
|----------|--------------------------|-------------|-------|--|--|
| | SPHERE | CYLINDER | PD | | |
| ES286SV | -10.00/+10.00 | -6.00/+6.00 | 58-74 | | |
| ES286BIF | -10.00/+10.00 | -6.00/+6.00 | 58-74 | | |
| ES286PRG | -10.00/+10.00 | -6.00/+6.00 | 58-74 | | |
| ES287SV | -10.00/+10.00 | -6.00/+6.00 | 58-74 | | |
| ES287BIF | -10.00/+10.00 | -6.00/+6.00 | 58-74 | | |
| ES287PRG | -10.00/+10.00 | -6.00/+6.00 | 58-74 | | |
| ES288SV | -5.00/+3.50 | -2.50/+2.50 | 58-74 | | |
| ES288BIF | -5.00/+3.50 | -2.50/+2.50 | 58-74 | | |
| ES288PRG | -5.00/+3.50 | -2.50/+2.50 | 58-74 | | |
| ES289SV | -10.00/+10.00 | -6.00/+6.00 | 58-74 | | |
| ES289BIF | -10.00/+10.00 | -6.00/+6.00 | 58-74 | | |
| ES289PRG | -10.00/+10.00 | -6.00/+6.00 | 58-74 | | |



PROTECTIVE EYEWEAR AT YOUR FINGERTIPS

Shop our extensive line of eyewear from the comfort of your home. Visit ProtecX.co.uk.



WARRANTY OF EYEWEAR: 1 year from the date of purchase against manufacturer defects (material and workmanship). This does not cover normal wear and tear, or negligent use of the product (including scratched lenses). Coating issues caused by cleaning lenses in a manner other than listed on the instructions for use will void the warranty.

Repairs of eyewear are allowed for 2 years from the date of purchase. The types of repair available are limited to eyewear purchased from ProtecX. Prices and repair available vary based on style and repairs being made.

Call your representative today at +44 (0) 1462 440715 or visit ProtecX.co.uk for more details.