




# Stainless Steel Stone Extractors



# Stainless Steel Stone Extractors


The 2.8 and 3.2 French Captura and Atlas Wire Stone Extractors feature a reinforced tip on 2.5 and 3.0 French sheaths. This configuration combines strength at the tip for multiple basket deployments with optimal fluid flow through the working channel of the scope.



## Atlas Wire™

STONE EXTRACTOR

The Atlas Wire basket permits the stone to slide into the basket with ease. Atlas Wire Stone Extractors feature a 4-wire construction for maximum stone retention in a flat-wire design.



Global Product Number	Order Number	Sheath Tip French Size	Sheath French Size	Length cm	Basket	Tip Length cm
<b>Occlusive</b>						
G32734	AE-417115	1.7	1.7	115	4-wire	
G32788	AE-428115	2.8	2.5	115	4-wire	
G32824	AE-432115	3.2	3.0	115	4-wire	
G32739	AE-445065	4.5	4.5	65	4-wire	
<b>Filiform</b>						
G32735	AEF-417115	1.7	1.7	115	4-wire	5
G32737	AEF-428115	2.8	2.5	115	4-wire	5
G32730	AEF-432115	3.2	3.0	115	4-wire	5
G32740	AEF-445065	4.5	4.5	65	4-wire	5







# Captura<sup>®</sup>

## STONE EXTRACTOR


Captura's helical design wraps around and effectively captures the stone. The helical design facilitates the retention of the stone in the basket as it is manipulated down the ureter. The Captura is available in 3-, 4-, 5- and 6-wire configurations.



3-wire



4-wire



5-wire



6-wire

Global  
Product  
Number

Order Number

Sheath Tip  
French Size

Sheath  
French Size

Length  
cm

Basket

Tip Length  
cm

### Occlusive

G32779	CE-317115	1.7	1.7	115	3-wire	
G32757	CE-328115	2.8	2.5	115	3-wire	
G32733	CE-332115	3.2	3.0	115	3-wire	
G32726	CE-345065	4.5	4.5	65	3-wire	
G32756	CE-428115	2.8	2.5	115	4-wire	
G32727	CE-432115	3.2	3.0	115	4-wire	
G32746	CE-445065	4.5	4.5	65	4-wire	
G32749	CE-532115	3.2	3.0	115	5-wire	
G32780	CE-545065	4.5	4.5	65	5-wire	
G32781	CE-645065	4.5	4.5	65	6-wire	

### Filiform

G32782	CEF-317115	1.7	1.7	115	3-wire	5
G32783	CEF-328115	2.8	2.5	115	3-wire	5
G32784	CEF-332115	3.2	3.0	115	3-wire	5
G32785	CEF-345065	4.5	4.5	65	3-wire	5
G32751	CEF-428115	2.8	2.5	115	4-wire	5
G32750	CEF-432115	3.2	3.0	115	4-wire	5
G32786	CEF-445065	4.5	4.5	65	4-wire	5
G32787	CEF-532115	3.2	3.0	115	5-wire	5
G32742	CEF-545065	4.5	4.5	65	5-wire	5
G32743	CEF-645065	4.5	4.5	65	6-wire	5



[www.cookmedical.com](http://www.cookmedical.com)

**COOK MEDICAL INCORPORATED**

P.O. Box 4195, Bloomington, IN 47402-4195 USA  
Phone: 812.339.2235, Toll Free: 800.457.4500, Toll Free Fax: 800.554.8335

**COOK IRELAND LTD.**

O'Halloran Road, National Technology Park,  
Limerick, IRELAND, Phone: 353 61 334440, Fax: 353 61 334441

**COOK (CANADA) INC.**

111 Sandiford Drive, Stouffville, Ontario, L4A 7X5 CANADA  
Phone: 905.640.7110, Toll Free: 800.668.0300, Fax: 905.640.6804

**WILLIAM A. COOK AUSTRALIA PTY. LTD.**

Brisbane Technology Park, 12 Electronics Street, Eight Mile Plains,  
Brisbane, QLD 4113 AUSTRALIA, Phone: 61 7 3841 1188

© COOK 2008 URO-BM-CAPB-EN-200805

AORTIC INTERVENTION

CARDIOLOGY

CRITICAL CARE

ENDOSCOPY

PERIPHERAL INTERVENTION

SURGERY

UROLOGY

WOMEN'S HEALTH